

Cross-species malaria immunity induced by chemically attenuated parasites

July 1 2013

Malaria, a mosquito-born infectious disease, kills over 600,000 people every year. Research has focused on the development of a vaccine to prevent the disease; however, many malaria vaccines targeting parasite antigens have failed because the antigen targets are highly variable.

Based on the observation that low-density infections can induce antibodyindependent immunity to different malaria strains, Michael Good and colleagues at Griffith University in Australia created a vaccine using blood-stage malaria parasites that were attenuated with a chemical agent that keeps the parasite from multiplying.

In this issue of the *Journal of Clinical Investigation*, they demonstrate that mice inoculated with a single species of attenuated parasite display immunity to multiple malaria species for over 100 days. These data indicate that vaccination with chemically attenuated parasites provides protective immunity and suggest that such vaccines could be used to target human malaria species.

More information: Cross-species malaria immunity induced by chemically attenuated parasites, *J Clin Invest*. <u>doi:10.1172/JCI66634</u>

Provided by Journal of Clinical Investigation

Citation: Cross-species malaria immunity induced by chemically attenuated parasites (2013, July



1) retrieved 16 June 2024 from <u>https://medicalxpress.com/news/2013-07-cross-species-malaria-immunity-chemically-attenuated.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.