

Daydreaming simulated by computer model

July 12 2013, by Michael C. Purdy

(Medical Xpress)—Scientists have created a virtual model of the brain that daydreams like humans do.

Researchers created the computer model based on the dynamics of [brain cells](#) and the many connections those cells make with their neighbors and with cells in other [brain](#) regions. They hope the model will help them understand why certain portions of the brain work together when a person daydreams or is mentally idle. This, in turn, may one day help doctors better diagnose and treat brain injuries.

"We can give our model lesions like those we see in stroke or [brain cancer](#), disabling groups of virtual cells to see how brain function is affected," said senior author Maurizio Corbetta, MD, the Norman J. Stupp Professor of Neurology at Washington University School of Medicine in St. Louis. "We can also test ways to push the patterns of activity back to normal."

The study is now available online in *The Journal of Neuroscience*.

The model was developed and tested by scientists at Washington University School of Medicine in St. Louis, Universitat Pompeu Fabra in Barcelona, Spain, and several other European universities including ETH Zurich, Switzerland; University of Oxford, United Kingdom; Institute of Advanced Biomedical Technologies, Chieti, Italy; and University of Lausanne, Switzerland.

Scientists first recognized in the late 1990s and early 2000s that the brain

stays busy even when it's not engaged in [mental tasks](#). Researchers have identified several "resting state" brain networks, which are groups of different [brain regions](#) that have activity levels that rise and fall in sync when the brain is at rest. They have also linked disruptions in networks associated with brain injury and disease to cognitive problems in memory, attention, movement and speech.

The new model was developed to help scientists learn how the brain's [anatomical structure](#) contributes to the creation and maintenance of resting state networks. The researchers began with a process for simulating small groups of neurons, including factors that decrease or increase the likelihood that a group of cells will send a signal.

"In a way, we treated small regions of the brain like cognitive units: not as individual cells but as groups of cells," said Gustavo Deco, PhD, professor and head of the Computational Neuroscience Group in Barcelona. "The activity of these cognitive units sends out excitatory signals to the other units through anatomical connections. This makes the connected units more or less likely to synchronize their signals."

Based on data from brain scans, researchers assembled 66 cognitive units in each hemisphere, and interconnected them in anatomical patterns similar to the connections present in the brain.

Scientists set up the model so that the individual units went through the signaling process at random low frequencies that had previously been observed in brain cells in culture and in recordings of resting brain activity.

Next, researchers let the model run, slowly changing the coupling, or the strength of the connections between units. At a specific coupling value, the interconnections between units sending impulses soon began to create coordinated patterns of activity.

"Even though we started the cognitive units with random low activity levels, the connections allowed the units to synchronize," Deco said. "The spatial pattern of synchronization that we eventually observed approximates very well—about 70 percent—to the patterns we see in scans of resting human brains."

Using the model to simulate 20 minutes of human brain activity took a cluster of powerful computers 26 hours. But researchers were able to simplify the mathematics to make it possible to run the model on a typical computer.

"This simpler whole brain [model](#) allows us to test a number of different hypotheses on how the structural connections generate dynamics of [brain function](#) at rest and during tasks, and how brain damage affects brain dynamics and cognitive function," Corbetta said.

More information: Deco, G. et al. Resting-state functional connectivity emerges from structurally and dynamically shaped slow linear fluctuations, *The Journal of Neuroscience*, July 3, 2013 33(27):11239 –11252.

Provided by Washington University School of Medicine in St. Louis

Citation: Daydreaming simulated by computer model (2013, July 12) retrieved 20 April 2024 from <https://medicalxpress.com/news/2013-07-daydreaming-simulated.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--