

'Virtual heart' precision-guides defibrillator placement in children with heart disease

August 21 2013

The small size and abnormal anatomy of children born with heart defects often force doctors to place lifesaving defibrillators entirely outside the heart, rather than partly inside—a less-than-ideal solution to dangerous heart rhythms that involves a degree of guesstimating and can compromise therapy.

Now, by marrying simple MRI images with sophisticated computer analysis, a team of Johns Hopkins researchers says it may be possible to take the guesswork out of the process by using a virtual 3-D heart model that analyzes a child's unique anatomy and pinpoints the best location for the device before it is implanted.

A description of the team's work is published ahead of print in *The Journal of Physiology*.

"Pediatric cardiologists have long sought a way to optimize device placement in this group of <u>cardiac patients</u>, and we believe our model does just that," says lead investigator Natalia Trayanova, Ph.D., the Murray B. Sachs Professor of Biomedical Engineering at Johns Hopkins. "It is a critical first step toward bringing <u>computational analysis</u> to the pediatric cardiology clinic."

If further studies show the model has value in patients, it could spare many children with heart disease from repeat procedures that are sometimes needed to re-position the device, says co-investigator Jane Crosson, M.D., a pediatric cardiologist and arrhythmia specialist at the



Johns Hopkins Children's Center.

"It's like having a virtual electrophysiology lab where we can predict best outcomes before we even touch the patient," Crosson says.

In adults and in children with normal size and heart anatomy, one part of the device lies under the <u>collar bone</u>, while the other end is inserted into one of the heart's chambers, a standard and well-tested configuration. But in children with tiny or malformed hearts, the entire device has to be positioned externally, an often imperfect setup. Such less-than-precisely positioned defibrillators can fire unnecessarily or, worse, fail to fire when needed to shock a child's heart back into normal rhythm, experts say. In addition, devices that are not positioned well can pack a punch, delivering ultra-strong, painful jolts that frighten children and could even damage heart cells.

"These are lifesaving devices but they can feel like a horse kick to the chest and really traumatize children," Crosson says.

With the Johns Hopkins heart model, scientists say they can find exactly where in relation to a patient's heart the device would be best able to reset the heart by using the least amount of energy and gentlest shock. This translates into longer battery life for the device as well, Trayanova says.

To build the model, the Johns Hopkins team started out with simple, lowresolution MRI heart scans of a child born without a tricuspid valve and right ventricle. Based on these images, the researchers developed a 3-D computer model that allowed them to simulate a dangerous rhythm disturbance during which the heart's strong, regular beats degenerate into weak quivers that, if uninterrupted, could kill in minutes. The model predicted how effectively the defibrillator would terminate this dangerous rhythm when located in each one of 11 positions around the



heart. Based on the model, the scientists determined that two particular positions rendered therapy optimal.

A particular advantage of the model is its true-to-life complexity. The model was built using digital representations of the heart's subcellular, cellular, muscular and connective structures—from ions and cardiac proteins to muscle fiber and tissue. The computer model also included the bones, fat and lungs that surround the heart.

"Heart function is astounding in its complexity and person-to-person variability, and subtle shifts in how one protein interacts with another may have profound consequences on its pumping and electric function," Trayanova says. "We wanted to capture that level of specificity to ensure predictive accuracy."

Trayanova and her team also have designed image-based models that pinpoint arrhythmia-triggering hot spots in the adult heart muscle and can help guide therapeutic ablation of such areas. The new pediatric virtual <u>heart</u>, however, is the team's first foray into pediatric cardiology.

Provided by Johns Hopkins University School of Medicine

Citation: 'Virtual heart' precision-guides defibrillator placement in children with heart disease (2013, August 21) retrieved 5 May 2024 from <u>https://medicalxpress.com/news/2013-08-virtual-heart-precision-guides-defibrillator-placement.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.