

Self-referral spurs unnecessary MRI exams for patients

September 17 2013

Patients having knee MRI examinations are significantly more likely to receive a negative finding if referred by physicians who have a financial interest in the imaging equipment being used, according to a study published online in the journal *Radiology*.

Imaging self-referral, whereby a non-radiologist physician refers their own patients for imaging to facilities in which they or their partners have a financial interest, is a growing trend in medicine and a significant driver of healthcare costs. Medical imaging self-referral leads to higher utilization and unnecessary imaging examinations.

"Our study was the first to examine one of the most common advanced outpatient imaging studies ordered in the United States today: orthopedic knee MRI," said Matthew P. Lungren, M.D., co-director of the Interventional Radiology Translational Research Lab at Duke University Medical Center in Durham, N.C. "In our work, we were able not only to evaluate the outcome of the knee MRI examinations ordered by physicians with financial interest in the imaging equipment, but to compare this to another matched referral physician group that had no financial stake in the imaging equipment."

From 2004 through 2010, the number of self-referred MRI services increased by more than 80 percent, compared with an increase of 12 percent for non-self-referred MRI services. Likewise, the growth rate of expenditures for self-referred MRI services was also higher than for non-self-referred MRI services, according to the U.S. Government



Accountability Office. It is estimated that in 2010, providers who self-referred made as many as 400,000 more referrals for <u>advanced imaging</u> services than they would have if they were not self-referring, costing Medicare about \$109 million.

For the study, researchers reviewed 700 consecutive diagnostic knee exams from 667 patients to determine if ownership of MRI equipment by ordering physicians affected the likelihood of positive findings, and they evaluated the pathology rates as a metric for comparison of utilization. The exams had been interpreted by one radiology practice between January and April 2009 and referred by two separate physician groups serving the same geographic community. The first group had financial interest in the MRI equipment used (FI group), and the second had no financial interest in the equipment used (NFI group).

For each group, the research team analyzed the percentage of negative exams and the frequency of each type of abnormalities found on positive exams.

The results showed that among the 700 MRI exams (350 per group), there was no significant difference in the number of abnormalities per positive scan between the two groups. However, the researchers found that knee MRI exams ordered by the FI group were 33 percent more likely to be negative, indicating a significantly higher number of potentially unnecessary exams. Of the 205 negative exams, 117 belonged to the FI group, compared to 88 for the NFI group. In the FI group, 33 percent of patients referred for exams had negative scan results, compared to 25 percent of the NFI group.

"This occurred despite otherwise highly similar pathology, demographics and referring physician characteristics between the two groups," Dr. Lungren said. "These findings suggest that there is a different threshold for ordering MRI examinations which may be due to financial



incentive."

Dr. Lungren added that self-referral has been shown to be an important driver of escalating medical costs, and that this study has demonstrated powerful evidence of greater use of high-tech imaging when physicians can financially benefit.

"This increase in unnecessary costs is of paramount importance in the current national conversation regarding health care cost and implementation," he said.

More information: "Physician Self-Referral: Frequency of Negative Findings at MR Imaging of the Knee as a Marker of Appropriate Utilization." *Radiology*, 2013.

Provided by Radiological Society of North America

Citation: Self-referral spurs unnecessary MRI exams for patients (2013, September 17) retrieved 19 April 2024 from

https://medicalxpress.com/news/2013-09-self-referral-spurs-unnecessary-mri-exams.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.