

Smartphones and tablets could provide universal access to medical monitoring

September 23 2013

Do you have a smartphone in your pocket or purse? If so, you may be carrying the future of mobile medical monitoring technology, according to a special article in the October issue of *Anesthesia & Analgesia*, official journal of the International Anesthesia Research Society (IARS).

Smartphones and tablet computers have an emerging role as <u>mobile</u> medical monitoring devices—and may help to extend the use of pulse oximetry for monitoring <u>blood oxygen</u> levels to developing countries around the world, according to the article by Dr J. Mark Ansermino of University of British Columbia, Vancouver. He writes, ""The widespread adoption of mobile devices, even in low-resource settings, promises to make vital signs monitoring available anywhere and at low cost."

Smartphones May Extend Availability of Pulse Oximetry

Today's mobile devices "have the computing capability, display, and battery power to become powerful medical devices that measure vital signs and provide intelligent interpretation or immediate transmission of information," according to Dr Ansermino. He notes that of the nearly six billion mobile phone users worldwide, two-thirds live in developing countries and remote areas.

In particular, mobile devices could increase access to pulse oximetry: the



familiar "finger clip" device used to monitor blood oxygen levels (arterial oxygen saturation) during anesthesia and surgery, as well as other medical procedures. In developed countries, pulse oximetry has become so widely used that it has been called the "fifth vital sign"—added to body temperature, pulse rate, blood pressure, and respiratory rate.

But pulse oximetry is still not routinely available in many areas, because of the costs of purchasing, using, and maintaining the monitoring equipment. In those places, cell phones or tablet computers as monitors could provide an effective and economical approach to increasing the availability of blood oxygen measurement.

"The inherent computing power of these devices and their everyday availability offer the opportunity to create a stand-alone device that can be used in the home by patients, yet which can also communicate with clinicians in real time," Dr Ansermino writes. He notes that previously owned smartphones and tablets could be "repurposed" for use as monitoring devices in developing countries.

Some Mobile Monitoring Apps Available Now

Some technologies for mobile pulse oximetry are already in use; commercial modules that can communicate with mobile devices are now in clinical trials. An app that converts the iPhone into a device capable of monitoring pulse oximetry and other vital signs is also available, though not approved for medical use. While the technology still needs to be refined, these types of applications "deliver the promise of pulse oximetry combined with supportive diagnostic and treatment applications into every medical setting and every home," writes Dr Ansermino.

For example, mobile monitoring could be an important tool in reducing



deaths from pneumonia in children—still a common event in many resource-poor countries. If mobile pulse oximeters were more widely available, declining blood oxygen levels could be detected more promptly, thus allowing faster intervention. Mobile pulse oximetry could also improve the ability to identify women at risk of developing preeclampsia—a life-threatening complication of pregnancy and delivery.

In addition, modern smartphones and tablets also have the computing power to perform sophisticated analyses of the photophlethysmographic (PPG) data produced by pulse oximeters, potentially providing additional useful information. They could also be used to improve contact with health care providers, as an information resource to guide care, and as an educational tool for patients and health care providers.

"The widespread availability of pulse oximetry on <u>mobile devices</u> will realize the potential of <u>pulse</u> oximetry as both a monitoring and diagnostic tool in a wide range of clinical settings," Dr Ansermino concludes. With continued development of mobile <u>monitoring</u> <u>technology</u>, he foresees a day when "Oxygen saturation will truly become recognized as one of the vital signs."

More information: journals.lww.com/anesthesia-an ...
Vital Signs.17.aspx

Provided by Wolters Kluwer Health

Citation: Smartphones and tablets could provide universal access to medical monitoring (2013, September 23) retrieved 20 April 2024 from https://medicalxpress.com/news/2013-09-smartphones-tablets-universal-access-medical.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.