

Heat waves pose asthma risk spike for babies

October 14 2013

(Medical Xpress)—Babies are at an increased risk of having an asthma attack during a heat wave, new research into the effects of weather events on the debilitating respiratory condition has uncovered.

It's often thought that it's only in the cooler months that parents of asthmatic children need to be extra vigilant. But this new [research](#) has shown that hot weather is just as risky - particularly during a heat wave and especially for the very young.

Prof Shilu Tong, from QUT's School of Public Health and Social Work and the Institute of Health and Biomedical Innovation, said a team of health researchers uncovered the surprise finding in a study of hospital admissions during [extreme weather events](#).

"This study was conducted because little information is available on the quantitative relationship between extreme [weather events](#) and [asthma](#)," Dr Tong said.

"It is vitally important to examine the vulnerability of [asthmatic children](#) to climate variability and change. Asthma is one of the most frequent chronic childhood illnesses worldwide, and is one of the most common of the five most frequently reported long-term conditions in Australia for children younger than 15. There's no cure. It is useful to know when attacks are likely to occur, so that health authorities can plan better interventions and treatments. And this is important stuff for parents to know.

"There were more than 13,300 emergency department admissions for childhood asthma during the study period (2003-09 in Brisbane). Both hot and cold temperatures saw spikes in hospital admissions for [childhood asthma](#). But it was with heat waves that the largest increase was recorded."

Male children aged up to four were the most vulnerable during [heat waves](#). Children aged 10 to 14 years were more vulnerable during cold events.

Dr Tong said other research had shown temperature fluctuations exacerbated asthma attacks because they impacted on inflammation pathways or airway hyper-responsiveness, and often occurred at times when other triggers were in play, such as viruses, bacterial activity, the growth of indoor allergens and a change to time spent outdoors.

He said research suggested that cold-weather asthma [hospital admissions](#) could be made worse because children spent more time indoors at a time when bacteria could survive longer in water droplets. This created a perfect environment for person-to-person infection. The cold air then caused a narrowing of airways, increasing the asthma effect.

However, he said there was little research around why [children](#) experienced high asthma rates during high temperature events. He said some research suggested hot weather helped allergens grow indoors, such as cockroaches or mould, and that changing pollution patterns in warm weather combined to triggered asthma.

He said the findings were particularly concerning when the effects of climate change were considered.

"Climate change means just that - an increased chance of heatwaves, particularly in warmer climates such as Australia. These findings are

very important because the prevalence of asthma is likely to increase as [climate change](#) progresses."

The research took into consideration levels of air pollution, relative humidity, the day of the week, the season and long-term weather trends to isolate temperature as a risk factor of asthma.

It was conducted by researchers from QUT, Griffith University, University of Queensland and the Anhui Medical University in China.

More information: files.sharepoint.com/:pdf?d=92101538&e=101538

Provided by Queensland University of Technology

Citation: Heat waves pose asthma risk spike for babies (2013, October 14) retrieved 24 April 2024 from <https://medicalxpress.com/news/2013-10-pose-asthma-spike-babies.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|