

# Smartphones, GPS part of UH scientist's smoking cessation research

October 17 2013

---

We use them to text, tweet, post and, sometimes, make a call. Now, smartphones are helping with public health research.

A recently published [smoking cessation](#) study conducted by a researcher affiliated with the University of Houston includes a technique called "geo-mapping," which makes use of GPS technology to pinpoint a study participant's location and the location of tobacco retail outlets nearby.

The study was published in the journal *Nicotine and Tobacco Research*.

"We're examining the possible mechanisms underlying the relationship between being close to a tobacco retail outlet and not being able to successfully [quit smoking](#)," said Lorraine Reitzel, associate professor of health in the UH College of Education. "We think it's because tobacco retail outlets might cue a greater urge to smoke within the person attempting to quit, maybe because of product advertising, a learned association between the retail outlet and purchasing cigarettes, or simply the greater availability and access to cigarettes that a close retail outlet provides."

Reitzel is part of a growing health department at the college. Recruited from MD Anderson Cancer Center, her research focuses on understanding individual and environmental influences that lead to health risk behaviors. She's interested in developing tobacco dependence interventions for low socio-economic areas and groups.

"I'm interested in better understanding whatever is preventing these smokers from successfully quitting, and then learning how to tailor treatments or public policy to help them," she said.

Participants carried a smart phone to collect data about their real-time, in-the-moment experiences throughout their daily travels during the quitting process. The study examined data collected from them before quitting through one week after their "quit day."

"When people were answering questions about their urge to smoke, we knew where they were," she said. "We used that information to better understand what the tobacco retailer outlet environment was like around them at the same moment they were describing their urge."

The smartphone research suggested that it wasn't the number of locations to purchase cigarettes that increased the urge to smoke, but the proximity of the closest tobacco retail outlet to the participant's home. When people responded from home, those living closer to tobacco [retail outlets](#) reported greater urges to smoke than those living farther from outlets.

"From a policy perspective, this suggests that if we are going to help people quit smoking, especially those in lower income areas, which tend to have a higher prevalence of tobacco stores, we need to think about disallowing the sale of tobacco products in close proximity to residential areas to make it more difficult to get tobacco when the urge to smoke strikes," Reitzel said. "If people can't access cigarettes within three to five minutes, the urge to smoke usually passes."

Reitzel's research was funded by the UT Health Science Center School of Public Health, the American Cancer Society and MD Anderson Cancer Center, among others.

"Many people try to quit smoking upwards of eight, nine, 10 times before they're successful," she said. "For the rest of their lives they have to be vigilant and fight to stay [tobacco](#)-free."

Provided by University of Houston

Citation: Smartphones, GPS part of UH scientist's smoking cessation research (2013, October 17) retrieved 20 March 2024 from <https://medicalxpress.com/news/2013-10-smartphones-gps-uh-scientist-cessation.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--