

# A therapeutic hypothesis for glucose intolerance after cerebral ischemia

October 30 2013

---

Interestingly, a recent study found that ischemic stress causes hyperglycemia and may worsen ischemic neuronal damage. In addition, decreased insulin sensitivity after ischemic stress seems to be involved in the development of post-ischemic glucose intolerance. However, the involvement of brain-derived neurotrophic factor in the development of glucose intolerance following ischemic stress still remains unclear.

Xiaoliang Shu and colleagues from the Affiliated Dongfang Hospital of Tongji University, China found that after cerebral ischemia, the expression levels of brain-derived neurotrophic factor and tyrosine kinase B receptor were significantly decreased in the hypothalamus. However, intrahypothalamic administration of brain-derived neurotrophic factor suppressed the decrease in insulin receptor and tyrosine-phosphorylated [insulin receptor](#) expression in the liver and skeletal muscle, and inhibited the overexpression of gluconeogenesis-associated phosphoenolpyruvate carboxykinase and glucose-6-phosphatase in the liver of cerebral ischemic mice. In addition, serum insulin levels remained unchanged. The researchers believed that [glucose intolerance](#) after cerebral ischemia can be improved by suppressing the loss of brain-derived neurotrophic factor in the hypothalamus.

These findings were published in the *Neural Regeneration Research* (Vol. 8, No. 25, 2013).

**More information:** Shu XL, Zhang YS, Xu H, Kang K, Cai DL. Brain-

derived neurotrophic factor inhibits glucose intolerance after cerebral ischemia. *Neural Regen Res.* 2013;8(25):2370-2378.

Provided by Neural Regeneration Research

Citation: A therapeutic hypothesis for glucose intolerance after cerebral ischemia (2013, October 30) retrieved 18 April 2024 from <https://medicalxpress.com/news/2013-10-therapeutic-hypothesis-glucose-intolerance-cerebral.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.