

Etanercept cuts sciatic pain from lumbar disc herniation

November 1 2013



(HealthDay)—Compared with placebo, transforaminal injections of etanercept provide relief from leg and back pain in patients with symptomatic lumbar disc herniation (LDH), according to research published in the Nov. 1 issue of *Spine*.

Brian J.C. Freeman, D.M., of the University of Adelaide in Australia, and colleagues randomized 49 patients, aged 18 to 70 years, who had persistent lumbosacral radicular pain secondary to LDH, to receive etanercept (0.5 mg, 2.5 mg, or 12.5 mg) or placebo as two transforaminal epidural injections, two weeks apart.

The researchers found that mean daily worst leg pain was significantly reduced in patients receiving 0.5-mg etanercept compared with those receiving placebo. Among these patients, 50 percent reported a 100



percent reduction in worst <u>leg pain</u> at four weeks compared with none of the patients receiving placebo. No difference was observed in the incidence of adverse events in the etanercept and <u>placebo</u> groups.

"Epidural etanercept may offer <u>patients</u> with sciatica a safe and effective nonoperative treatment," the authors write.

Two study authors are employed by BioAssets Development Corporation (now a wholly-owned subsidiary of Teva Pharmaceuticals), which funded the study.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2013 HealthDay. All rights reserved.

Citation: Etanercept cuts sciatic pain from lumbar disc herniation (2013, November 1) retrieved 17 April 2024 from

https://medicalxpress.com/news/2013-11-etanercept-sciatic-pain-lumbar-disc.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.