

# National study finds renal stenting does not improve outcomes for renal artery stenosis patients

November 18 2013

---

According to the findings from a national research trial, people who suffer from a narrowing of the arteries that lead to the kidneys, or renal artery stenosis, do not experience better outcomes when renal stenting is used. Instead, a comprehensive regimen of drug and medical therapies works just as well. The national study, which was led by Rhode Island Hospital researchers Lance Dworkin, M.D., and Timothy Murphy, M.D., in collaboration with multiple investigators worldwide, is published in the *New England Journal of Medicine (NEJM)*. They will also present the results at the annual meeting of the American Heart Association on November 18.

"The use of stenting to treat patients with renal artery stenosis is a treatment that clinicians have disagreed on for some time," said Dworkin, director of the Division of Hypertension & Kidney Disease at Rhode Island Hospital and a physician with University Medicine Foundation. He is the senior leader and study chair for the trial. "Our findings clearly show that renal artery stenting does not confer any benefit for the prevention of clinical events when added to a comprehensive, multi-factorial medical therapy."

The CORAL (Cardiovascular Outcomes in Renal Atherosclerotic Lesions) study, which was the first randomized, controlled study to look at this issue, involved 947 participants at more than 100 sites in the U.S., Canada, South American, Europe, Australia and New Zealand. The

participants all had atherosclerotic renal-artery stenosis and either systolic hypertension on two or more drugs or chronic kidney disease. They were randomly assigned to medical therapy plus [renal-artery stenting](#) or [medical therapy](#) alone.

Participants were then followed for up to seven years to monitor for significant clinical events, such as cardiovascular or renal death, myocardial infarction, stroke, hospitalization for congestive heart failure, progressive renal insufficiency or renal replacement therapy.

"Renal-artery stenosis is a significant public health issue, so it was important that we go beyond following blood pressure and kidney function," explained Murphy, an interventional radiologist and the medical director of the Vascular Disease Research Center at Rhode Island Hospital. He was a co-principal investigator for the study. "To really understand what benefits, if any, stenting provided, we needed to look at significant clinical events."

What researchers found was that renal stenting did not make a difference in outcomes for patients.

According to Dworkin, these results are significant as they will lead to a reduction in the number of renal stents that are inserted in patients who experience [renal-artery stenosis](#). "Stents do a good job in opening the arteries, but less invasive medical therapies, which have only gotten better over time, means that patients can often avoid more invasive stenting procedures," he said.

Provided by Lifespan

Citation: National study finds renal stenting does not improve outcomes for renal artery stenosis patients (2013, November 18) retrieved 19 April 2024 from

<https://medicalxpress.com/news/2013-11-national-renal-stenting-outcomes-artery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.