

Natural compound mitigates effects of methamphetamine abuse

November 19 2013

Studies have shown that resveratrol, a natural compound found in colored vegetables, fruits and especially grapes, may minimize the impact of Parkinson's disease, stroke and Alzheimer's disease in those who maintain healthy diets or who regularly take resveratrol supplements. Now, researchers at the University of Missouri have found that resveratrol may also block the effects of the highly addictive drug, methamphetamine.

Dennis Miller, associate professor in the Department of Psychological Sciences in the College of Arts & Science and an investigator with the Bond Life Sciences Center, and researchers in the Center for Translational Neuroscience at MU, study therapies for drug addiction and neurodegenerative disorders. Their research targets treatments for methamphetamine abuse and has focused on the role of the neurotransmitter dopamine in drug addiction. Dopamine levels in the brain surge after methamphetamine use; this increase is associated with the motivation to continue using the drug, despite its adverse consequences. However, with repeated methamphetamine use, dopamine neurons may degenerate causing neurological and behavioral impairments, similar to those observed in people with Parkinson's disease.

"Dopamine is critical to the development of methamphetamine addiction—the transition from using a drug because one likes or enjoys it to using the drug because one craves or compulsively uses it," Miller said. "Resveratrol has been shown to regulate these dopamine neurons

and to be protective in Parkinson's disease, a disorder where dopamine neurons degenerate; therefore, we sought to determine if resveratrol could affect methamphetamine-induced changes in the brain."

Using procedures established by Parkinson's and Alzheimer's disease research, rats received resveratrol once a day for seven days in about the same concentration as a human would receive from a [healthy diet](#). After a week of resveratrol, researchers measured how much dopamine was released by methamphetamine. Researchers found that resveratrol significantly diminished methamphetamine's ability to increase dopamine levels in the brain. Furthermore, resveratrol diminished methamphetamine's ability to increase activity in mice, a behavior that models the hyperactivity observed in people that use the stimulant.

"People are encouraged by physicians and dieticians to include resveratrol-containing products in their diet and protection against methamphetamine's harmful effects may be an added bonus," Miller said. "Additionally, there are no consistently effective treatments to help people who are dependent on methamphetamine. Our initial research suggests that resveratrol could be included in a treatment regimen for those addicted to [methamphetamine](#) and it has potential to decrease the craving and desire for the drug. Resveratrol is found in good, colorful foods, and has few side effects. We all ought to consume resveratrol for good brain health; our research suggests it may also prevent the changes in the brain that occur with the development of drug addiction."

More information: The study "Repeated resveratrol treatment attenuates methamphetamine-induced hyperactivity and [3H]dopamine overflow in rodents," was published in *Neuroscience Letters*.

Provided by University of Missouri-Columbia

Citation: Natural compound mitigates effects of methamphetamine abuse (2013, November 19)
retrieved 26 April 2024 from
<https://medicalxpress.com/news/2013-11-natural-compound-mitigates-effects-methamphetamine.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.