

Size, connectivity of brain region linked to anxiety level in young children

November 20 2013

Prolonged stress and anxiety during childhood is a risk factor for developing anxiety disorders and depression later in life. Now, Stanford University School of Medicine researchers have shown that by measuring the size and connectivity of a part of the brain associated with processing emotion—the amygdala—they can predict the degree of anxiety a young child is experiencing in daily life.

They found that the larger the amygdala and the stronger its connections with other parts of the brain involved in perception and regulation of emotion, the greater the amount of anxiety a child was experiencing.

The findings do not mean that a young child with an enlarged and highly connected amygdala will necessarily go on to develop a mood disorder, said Vinod Menon, PhD, professor of psychiatry and behavioral sciences and senior author of the study, which will be published online Nov. 20 in *Biological Psychiatry*.

"We are not at a point where we can use these findings to predict the likelihood of a child developing mood and anxiety disorders as an adult, but it is an important step in the identification of young children at risk for clinical anxiety," Menon said.

Participants in the study were 76 children ages 7 to 9. "For the cognitive emotional assessments to be reliable, 7 years old is about as young as a child can be," said Menon, who is a member of the Child Health Research Institute at Stanford. "But the changes to the amygdala may

have started earlier."

The parents of the children in the study filled out the Childhood Behavior Checklist, a standard measure of a child's general cognitive, social and emotional well-being. All the children in the study were typically developing, with no history of neurological or psychiatric disorders, and were not using medication. None of the children in the study were experiencing so much anxiety in their daily lives that they could be considered clinically anxious.

The researchers compared the results of the assessment with the size and connectivity data of each child's brain to draw their conclusions.

Anxiety is a common emotional reaction to stress. It normally helps us cope with difficult situations. But sustained anxiety can lead to disabling conditions such as phobia, post-traumatic stress disorder and [generalized anxiety disorder](#).

Studies of adults suffering from [anxiety disorders](#) have shown that they possess enlarged, highly connected amygdalae. Studies of laboratory animals placed in an environment causing chronic stress have determined that the animals' amygdalae grew additional synapses and that synaptic connectivity increased in response to the resulting persistent anxiety.

The amygdala is an evolutionarily primitive part of the brain located deep in the temporal lobe. It comprises several subregions associated with different aspects of perceiving, learning and regulating emotions.

The basolateral amygdala, a subregion important for processing emotion-related sensory information and communicating it to the neocortex—the evolutionarily newer part of the brain—is specifically where Shaozheng Qin, PhD, a postdoctoral scholar and lead author of the study, detected

the enlargement.

Qin used magnetic resonance imaging to measure the size of the various subregions of the amygdala and functional MRI to measure the connectivity of those regions to other areas of the brain.

"The basolateral amygdala had stronger functional connections with multiple areas of the neocortex in children with higher anxiety levels," Qin said.

The researchers identified four functional neocortical systems that were affected. One of the systems deals with perception, another with attention and vigilance, a third with reward and motivation, and the fourth with detection of salient emotional stimuli and regulation of emotional responses.

"All four of these core systems are impacted by childhood anxiety," Qin said.

Menon said they were surprised that alterations to the structure and connectivity of the amygdala were so significant in the children with higher levels of anxiety, given both the young age of the children and the fact that their anxiety levels were too low to be considered clinical.

The study provides important new insights into the developmental origins of anxiety, he added. Understanding the influence of [childhood anxiety](#) on specific amygdala circuits, as identified in the study, could aid in the early identification and treatment of [children](#) at risk for [anxiety](#) disorders.

Provided by Stanford University Medical Center

Citation: Size, connectivity of brain region linked to anxiety level in young children (2013, November 20) retrieved 25 April 2024 from <https://medicalxpress.com/news/2013-11-size-brain-region-linked-anxiety.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.