


# Brain waves encode information as time signals

December 16 2013

---



This shows Prof. Peter Jonas and postdoc Alejandro Pernía-Andrade with workshop head Todor Asenov sitting in front of screen. Credit: © IST Austria, 2013

How information is processed and encoded in the brain is a central question in neuroscience, as it is essential for high cognitive function such as learning and memory. Theta-gamma oscillations are "brain

waves" observed in the hippocampus of behaving rats, a brain region involved in learning and memory. In rodents, theta-gamma oscillations are associated with information processing during exploration and spatial navigation. However, the underlying synaptic mechanisms have so far remained unclear.

In research published this week in the journal *Neuron*, postdoc Alejandro Pernía-Andrade and Professor Peter Jonas, both at the Institute of Science and Technology Austria (IST Austria), discovered the synaptic mechanisms underlying [oscillations](#) at the [dentate gyrus](#) (main entrance of the [hippocampus](#)). Furthermore, the researchers suggest a role for these oscillations in the coding of information by the dentate gyrus principal neurons. Thus, these findings contribute to a better understanding of how information is processed in the brain.

Brain oscillations are, in fact, rhythmic changes in voltage in the extracellular space, referred to as electrical brain signals associated with the processing of information. These electrical signals are similar to those seen in electro-encephalographic recordings (EEG) in humans. Pernía-Andrade and Jonas observed these oscillations in a brain region called the hippocampus in behaving rats, and recorded oscillations occurring in this area using extracellular probes. To understand how oscillations are generated and which synaptic events trigger these oscillations, the researchers looked at synaptic transmission in granule cells (principal cells at the main entrance of the hippocampus) from both the extracellular (oscillations) and the intracellular perspectives (synaptic currents and neuronal firing), and then correlated the two. They discovered that excitatory and inhibitory synaptic signals contributed to different frequencies of oscillations, with excitation from the entorhinal cortex generating theta oscillations and inhibition by local dentate gyrus interneurons generating [gamma oscillations](#). Together, excitation and inhibition provide the rhythmic signals of oscillations. It has been speculated that oscillations may help the dentate gyrus to encode

information by acting as reference signals in temporal coding. Pernía-Andrade and Jonas now show that granule cell neurons send signals only at specific times in the cycle of oscillations. This so-called "phase locking" is necessary if oscillations are to function as reference signals in temporal coding.

The precise, high-resolution recording from granule cells necessary for these discoveries was possible only through technological innovations by Pernía-Andrade and Jonas, as previously no equipment was available to record synaptic signals in active rats in such high resolution. They are the result of a collaboration with the Miba machine shop, IST Austria's electrical and mechanical SSU (Scientific Service Unit). Adapting commercially available equipment and custom-designing tools, Pernía-Andrade, Jonas and Todor Asenov, manager of the Miba machine shop, produced the first tools for precise biophysical analysis in active rats. This research is therefore not only a scientific advance but also represents a significant technological and conceptual progress in the quest to understand neuronal behavior under natural conditions.

**More information:**

[www.cell.com/neuron/abstract/S0896-6273\(13\)00922-7](http://www.cell.com/neuron/abstract/S0896-6273(13)00922-7)

Provided by Institute of Science and Technology Austria

Citation: Brain waves encode information as time signals (2013, December 16) retrieved 6 May 2024 from <https://medicalxpress.com/news/2013-12-brain-encode.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---