

# FDA: Idaho noted yeast in yogurt before recall

December 5 2013

---

A U.S. Food and Drug Administration report says the Idaho Department of Agriculture detected abnormalities in yogurt at a Chobani facility two months before the company issued a recall.

The Times-News obtained the report under a Freedom of Information Act request.

More than 300 people reported getting sick after consuming Greek yogurt produced in Twin Falls that was reportedly contaminated by a mold associated with [dairy products](#).

The FDA report says a state lab technician spotted visible defects and a yeast-like growth in samples pulled from the factory line, and additional sampling by the company detected a [mold growth](#).

The state denies the FDA's claim. Agriculture Department spokeswoman Pamela Juker says state regulators never detected the yeast-like substance during the routine inspection in July.

Chobani officials say the company's goal is to ensure the Idaho facility is a leader in size, cleanliness, quality and safety.

© 2013 The Associated Press. All rights reserved.

Citation: FDA: Idaho noted yeast in yogurt before recall (2013, December 5) retrieved 4 May 2024 from <https://medicalxpress.com/news/2013-12-fda-idaho-yeast-yogurt-recall.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.