

Whooping cough vaccine antigen disappearing from bacteria in US

December 12 2013

Vaccines for whooping cough contain three to five protective antigens, the presence of which are critical to the vaccine's effectiveness. But one of the antigens, pertactin, which had been present in almost all isolates of *Bordetella pertussis* in the US as late as 2010, is now absent from more than half of them, according to a paper published ahead of print in *Clinical and Vaccine Immunology*.

"These findings tell us that there is an evolutionary advantage to lacking the protein that may have important vaccine implications," says first author Lucia C. Pawloski, of the Centers for Disease Control and Prevention, Atlanta, GA.

In the study, the researchers screened 1,300 isolates dating from 1935-2012, obtained from outbreak and surveillance studies. They used [polymerase chain reaction](#) (PCR) to identify DNA insertions into the pertactin gene, which prevents expression of that gene. The earliest such isolate was from 1994, and the next, 2010. There were 267 such isolates.

Thanks to the vaccine's other antigens, the vaccine remains effective, but that does not mean public health authorities should be complacent.

"This recent and drastic change in response to a particular vaccine antigen highlights the need to continue monitoring the circulating bacterial population to allow us to better predict future potential vaccine antigens and respond to the recent upsurge in *pertussis*," says Pawloski.

It is particularly important that [pregnant women](#) be vaccinated against *pertussis*, since infants are at greatest risk for having severe, potentially life-threatening complications from *pertussis*.

"After receiving this vaccine, a [pregnant woman](#)'s body creates protective antibodies and passes some of them to her baby before birth," says Pawloski.

Those antibodies provide the baby with some protection that lasts until it is old enough to be vaccinated. However, fewer than 10 percent of pregnant women are being vaccinated.

Pertussis is resurgent in the United States. More than 48,000 cases were reported in 2012, up from less than 8,000 in 2000. Prevalence peaks cyclically, every three to four years, and the former number may reflect a peak, but the general trend has been strongly upward since before the millennium.

The rise in cases may be due to more sensitive and specific diagnostics, better awareness of the disease among both doctors and the general public, and waning immunity from the current acellular [vaccine](#).

Although some people do not get their children vaccinated, and such children are at least eight times more likely to get the disease than those who receive all five recommended doses they are not the driving force behind the large scale outbreaks or epidemics, says Pawloski.

More information: [www.asm.org/images/Communicati ...
13/1213pertussis.pdf](http://www.asm.org/images/Communicati...13/1213pertussis.pdf)

Provided by American Society for Microbiology

Citation: Whooping cough vaccine antigen disappearing from bacteria in US (2013, December 12) retrieved 1 May 2024 from <https://medicalxpress.com/news/2013-12-whooping-vaccine-antigen-bacteria.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.