


Telomere length prognostic for 50 to 75 year-old men with ACS

January 27 2014



(HealthDay)—For men aged 50 to 75 years with acute coronary syndrome, short telomeres are independently associated with worse prognosis, according to a study published in the Feb. 1 issue of *The American Journal of Cardiology*.

Jose-Angel Perez-Rivera, M.D., from the University Hospital of Salamanca in Spain, and colleagues assessed the [prognostic value of telomere length](#), measured by quantitative [polymerase chain reaction](#) in peripheral blood leukocytes of 203 men admitted with acute coronary syndrome. The men were classified into two groups according to age: 50 to 75 years, and older than 75 years. Patients underwent more than 600 days of clinical follow-up and a prognostic combined event was defined.

The researchers found that for men aged 50 to 75 years, those with short

telomeres had significantly worse prognosis (P

"In conclusion, telomere length is a good predictor of cardiovascular prognosis in men admitted for [acute coronary syndrome](#), but this relation depends on the chronological age of the population studied," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2014 [HealthDay](#). All rights reserved.

Citation: Telomere length prognostic for 50 to 75 year-old men with ACS (2014, January 27)
retrieved 10 April 2024 from
<https://medicalxpress.com/news/2014-01-telomere-length-prognostic-year-old-men.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--