

Top five low-value actions ID'd in emergency medicine

February 19 2014



(HealthDay)—The top five tests, treatments, and/or disposition decisions that are of little value in emergency medicine have been identified, according to research published online Feb. 17 in *JAMA: Internal Medicine*.

Jeremiah D. Schuur, M.D., M.H.S., from the Brigham and Women's Hospital in Boston, and colleagues assembled a technical expert panel (TEP) and conducted a modified Delphi process to identify a top-five list of tests, treatment, and disposition decisions that are of little value and are actionable by clinicians. A four-stage process was used to create the list, which included surveying 283 emergency medicine clinicians from six emergency departments.

The researchers identified 64 low-value items, which were narrowed down to 17 items that all showed a significant positive correlation



between benefit and actionability. One item received unanimous TEP support and four received majority support. According to the top-five list: (1) computed tomography (CT) of the cervical spine should not be ordered after trauma for patients who are not considered high-risk and do not meet the National Emergency X-ray Utilization Study low-risk criteria or the Canadian C-Spine Rule; (2) for suspected pulmonary embolism, CT for diagnosis should not be ordered without first determining the patient's pulmonary embolism risk (pretest probability and D-dimer tests if low probability); (3) magnetic resonance imaging of the lumbar spine should not be ordered for patients with lower back pain who do not have high-risk features; (4) head CT should not be ordered for patients with mild traumatic head injury who do not meet New Orleans Criteria or Canadian CT Head Rule; and (5) anticoagulation studies should not be ordered for patients without hemorrhage or suspected clotting disorder.

"Developing and addressing a top-five list is a first step to addressing the critical issue of the value of emergency care," the authors write.

More information: Abstract

Full Text (subscription or payment may be required)
Editorial (subscription or payment may be required)

Copyright © 2014 HealthDay. All rights reserved.

Citation: Top five low-value actions ID'd in emergency medicine (2014, February 19) retrieved 1 May 2024 from https://medicalxpress.com/news/2014-02-low-value-actions-idd-emergency-medicine.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.