

Rats, frosting helping find genetic causes of binge-eating

March 4 2014

Two strains of rats, cans of vanilla frosting and a theory have helped MSU professor of psychology Kelly Klump take one step closer to finding the genetic causes, and eventually a treatment, for binge eating.

In her latest research, Klump decided to use [rats](#) to help identify different biological and genetic factors that contribute to [binge eating](#).

"Based upon our previous research, we know that binge eating is influenced by [genes](#), but we have been unable to identify in humans which genes contribute to binge eating. With this research, we decided to study two different strains of rats instead of humans," Klump said.

"Unlike humans, animals do not have the cultural, psychological or [psychosocial risk factors](#) for binge eating, so they are simpler to study. A rat could care less what it looks like."

Klump and her team studied two different strains of rats – Sprague-Dawley and Wistar rats – to determine if one strain was prone to binge eating. For two weeks, Klump and colleagues ran a feeding experiment with 30 Sprague-Dawley female rats and 23 Wistar rats. The rats were given their usual meal of "chow" (like chicken and vegetables for humans) and intermittently, vanilla frosting.

"We only gave the rats the vanilla frosting every other day because that mimics [human](#) binge eating habits," said Britny Hildebrandt, a graduate student in the Klump lab.

And why vanilla frosting? "People don't binge on lettuce or meat, they binge on sweets for the most part," Klump said.

What Klump and her team found was that the rate of binge eating on vanilla frosting was much higher in Sprague-Dawley female rats.

"Now that we know that the Sprague-Dawley rats are prone to binge eating, this helps narrow the scope of the thousands of possible genes that could contribute to this disorder," Klump said.

"We can now study the strain to identify the genes that might contribute to the disease. From there, we can map these genes in humans. If we can narrow down to 20 or so genes, then we are one step closer to finding an effective treatment for binge eating."

Klump has been on a quest for more than 20 years to find the cause of binge eating and eventually a treatment. Binge eating is one of the core symptoms of most eating disorders, including bulimia nervosa and the binge/purge subtype of anorexia.

Females are primarily effected by eating disorders with a ratio of only one male for every ten women. These disorders can last for years. During this timeframe, [effective treatment](#) is critical since eating disorders have the highest mortality rate of any psychiatric disorder. And if it doesn't kill, the damage it wreaks can be irreversible, according to Klump.

"Women with eating disorders suffer tremendously and deserve to have this on our national agenda with funding for continued research," Klump said. "For far too long, people have thought that females with [eating disorders](#) are just vain girls who want to be pretty. Eating disorders deserve the same level of attention, treatment resources, and funding as other disorders, like schizophrenia and bipolar disorder. No one would

say someone is schizophrenic because they just want to think interesting thoughts."

More information: The study is published online in *Physiology & Behavior*.

Provided by Michigan State University

Citation: Rats, frosting helping find genetic causes of binge-eating (2014, March 4) retrieved 18 April 2024 from

<https://medicalxpress.com/news/2014-03-rats-frosting-genetic-binge-eating.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.