

FDA advises against using extra-strength acetaminophen

April 29 2014

Apparently, the FDA's warning four months ago was missed by many physicians, pharmacists and patients, so the drug agency, in an unusual move, saw fit Monday to remind us: Stop writing prescriptions for, stop dispensing prescriptions for, and stop taking medications containing more than 325 milligrams of acetaminophen.

Your liver will thank you, since acetaminophen overdose has overtaken viral hepatitis infection as the most common cause of [acute liver failure](#). It is now the second most common cause of [liver failure](#) requiring transplantation in the United States.

"These products are no longer considered safe by FDA and have been voluntarily withdrawn" by the manufacturers, the FDA said.

Just four months ago, the FDA called for doctors, dentists and pharmacists to stop recommending the higher dose, which, the FDA said, has demonstrated no superiority over the lower dose but poses dangers to the [liver](#). The FDA does not usually have to repeat itself. But acetaminophen has become a workhorse of our home medicine chests, and an ingredient contained in many combination medications, including the opiate pain-relievers Percocet and Vicodin and in such over-the-counter stalwarts as Benadryl, Excedrin, Nyquil, Robitussin, Theraflu and Vicks.

"We encourage pharmacists to return them to the wholesaler or manufacturer," the FDA said, and to remove the product codes for

prescription medications containing such doses from their automatic reordering systems. When patients come to fill prescriptions for products containing more than 325 mg of acetaminophen, the FDA recommends that pharmacists call the prescriber to discuss a lower dose.

As explained by Harvard Medical School's Family Health Guide, most [acetaminophen](#) is broken down into harmless substances that are removed from the body in urine. "But a small percentage is rendered into a compound that's extremely harmful to cells," the guide says.

The compound is known by the acronym NAPQI, and it's combined with an antioxidant called glutathione to make it safe to ingest. But in the case of an overdose, there's "not enough glutathione to sop up NAPQI," making [liver damage](#) a threat.

©2014 Los Angeles Times
Distributed by MCT Information Services

Citation: FDA advises against using extra-strength acetaminophen (2014, April 29) retrieved 5 May 2024 from <https://medicalxpress.com/news/2014-04-fda-extra-strength-acetaminophen.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--