


Why your nose can be a pathfinder

April 16 2014



This shows 20-40 Hz oscillations when well-trained rats were sampling odor cues (arrow). In lateral entorhinal cortex (LEC, top), which relays signals from olfactory sensory areas to the hippocampus, strong oscillatory activities were observed in the 20-40 Hz band, as well as 6-10 Hz (theta) oscillations. Medial entorhinal cortex (MEC, bottom), in which grid cells reside, showed only theta oscillations. Credit: NTNU

Waves in your brain make smells stick to your memories and inner maps.

When I was a child I used to sit in my grandfather's workshop, playing with wood shavings. Freshly shaven wood has a distinct [smell](#) of childhood happiness, and whenever I get a whiff of that scent my [brain](#) immediately conjures up images of my grandfather at his working


bench, the heat from the fireplace and the dog next to it.

Researchers at the Kavli Institute for Systems Neuroscience have recently discovered the process behind this phenomenon. The brain, it turns out, connects smells to memories through an associative process where neural networks are linked through synchronised brain waves of 20-40 Hz. The results are published in the latest edition of *Nature*.

"We all know that smell is connected to memories, Kei Igarashi," lead author, explains. "We know that neurons in different brain regions need to oscillate in synchrony for these regions to speak effectively to each other. Still, the relationship between interregional coupling and formation of memory traces has remained poorly understood. So we designed a task to investigate how odour-place representation evolved in the entorhinal and [hippocampal region](#), to figure out whether learning depends on coupling of oscillatory networks."

Smell guides the way in maze

The researchers designed a maze for rats, where a rat would see a hole to poke its nose into. When poking into the hole, the rat was presented with one of two alternative smells. One smell told the rat that food would be found in the left food cup behind the rat. The other smell told it that there was food in the right cup. The rat would soon learn which smell would lead to a reward where. After three weeks of training, the rats chose correctly on more than 85% of the trials. In order to see what happened inside the brain during acquisition, 16 electrode pairs were inserted in the hippocampus and in different areas of the entorhinal cortex.



This shows degrees of synchronization in oscillatory activities (coherence) between two brain regions of well-trained rats are color-coded in these figures. Top: This shows synchronization between lateral entorhinal cortex (LEC) and distal part of hippocampal area CA1 (dCA1). Middle: This shows synchronization between medial entorhinal cortex (MEC) and dCA1. Bottom: This shows synchronization between LEC and proximal part of hippocampal area CA1 (pCA1). 20-40 Hz oscillations were synchronized only between LEC and dCA1 (arrow). Credit: NTNU

After the associations between smell and place were well established, the researchers could see a pattern of brain wave activity (the electrical signal from a large number of neurons) during retrieval.

Coherent brain activity evolves with learning

"Immediately after the rat is exposed to the smell there is a burst in activity of 20 Hz waves in a specific connection between an area in the entorhinal cortex, lateral entorhinal cortex (LEC), and an area in the hippocampus, distal CA1 (dCA1), while a similar strong response was not observed in other connections," Igarashi explains.

This coherence of 20 Hz activity in the LEC and dCA1 evolved in parallel with learning, with little coherence between these areas before training started. By the time the learning period was over, cells were phase locked to the oscillation and a large portion of the cells responded specifically to one or the other of the smell-odour pairs.

Long distance communication in brain mediated by waves

"This is not the first time we observe that the brain uses synchronised wave activity to establish network connections," Edvard Moser, director of the Kavli Institute for Systems Neuroscience says. "Both during encoding and retrieval of declarative memories there is an interaction between these areas mediated through gamma and theta oscillations. However, this is the first study to relate the development of a specific band of oscillations to memory performance in the hippocampus. Together, the evidence is now piling up and pointing in the direction of cortical oscillations as a general mechanism for mediating interactions among functionally specialised neurons in distributed brain circuits."

So, there you have it – the signals from your nose translate and connect to memories in an orchestrated symphony of signals in your head. Each of these memories connects to a location, pinpointed on your inner map. So when you feel a wave of reminiscence triggered by a fragrance, think

about how waves created this connection in the first place.

More information: Coordination of entorhinal-hippocampal ensemble activity during associative learning, [DOI: 10.1038/nature13162](https://doi.org/10.1038/nature13162)

Provided by Norwegian University of Science and Technology

Citation: Why your nose can be a pathfinder (2014, April 16) retrieved 20 March 2024 from <https://medicalxpress.com/news/2014-04-nose-pathfinder.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--