

Out-of-pocket costs decline for patients with diabetes

April 24 2014



(HealthDay)—During the past decade, out-of-pocket (OOP) costs have declined for individuals with diabetes, according to research published online March 25 in *Diabetes Care*.

Rui Li, Ph.D., of the U.S. Centers for Disease Control and Prevention in Atlanta, and colleagues used 2001 to 2011 data from the Medical Expenditure Panel Survey to assess trends in OOP [costs](#) for individuals aged 18 to 64 years with [diabetes](#).

The researchers found that the proportion of individuals with diabetes who have high OOP costs dropped by 5 percentage points (P diabetes patients with private insurance or middle-to-high incomes, but significant reductions were observed for those who were poor and near-poor (21 percent decrease) and low-income (13 percent decrease).

"The past decade has seen a narrowing of insurance coverage and income-related disparities in high OOP burden in people with diabetes, yet almost one-fourth of all people with diabetes still face a high OOP burden," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2014 [HealthDay](#). All rights reserved.

Citation: Out-of-pocket costs decline for patients with diabetes (2014, April 24) retrieved 6 May 2024 from <https://medicalxpress.com/news/2014-04-out-of-pocket-decline-patients-diabetes.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--