


How cone snail venom minimizes pain

May 14 2014



This schematic shows the proposed mechanism by which the cone snail venom Vc1.1 reduces pain sensation through indirect inhibition of R-type (Ca_v2.3) neuronal voltage-gated calcium channels. Credit: Rittenhouse, 2014

The venom from marine cone snails, used to immobilize prey, contains numerous peptides called conotoxins, some of which can act as painkillers in mammals. A recent study in *The Journal of General Physiology* provides new insight into the mechanisms by which one



conotoxin, Vc1.1, inhibits pain. The findings help explain the analgesic powers of this naturally occurring toxin and could eventually lead to the development of synthetic forms of Vc1.1 to treat certain types of neuropathic pain in humans.

Neuropathic pain, a form of <u>chronic pain</u> that occurs in conjunction with injury to—or dysfunction of—the nervous system, can be debilitating and difficult to treat, and the medical community is eager to find better methods to minimize what can be a serious condition. Neuropathic pain is associated with changes in the transmission of signals between neurons, a process that depends on several types of voltage-gated calcium channels (VGCCs). However, given the importance of these VGCCs in mediating normal neurotransmission, using them as a pharmacological target against <u>neuropathic pain</u> could potentially lead to undesirable side effects.

In previous studies, David Adams and colleagues from RMIT University in Melbourne showed that Vc1.1 acted against neuropathic pain in mice; they found that, rather than acting directly to block VGCCs, Vc1.1 acts through GABA type B (GABA_B) receptors to inhibit N-type (Ca_v2.2) channels.

Now, Adams and colleagues show that Vc1.1 also acts through $GABA_B$ receptors to inhibit a second, mysterious class of neuronal VGCCs that have been implicated in pain signaling but have not been well understood—R-type (Ca_v2.3) channels. Their new findings not only help solve the mystery of Ca_v2.3 function, but identify them as targets for analgesic conotoxins.

More information: Article: Berecki, G., et al. 2014. J. Gen. Physiol. DOI: 10.1085/jgp.201311104 Commentary: Rittenhouse, A.R. 2014. J. Gen. Physiol. DOI: 10.1085.jgp.201411190



Provided by Rockefeller University

Citation: How cone snail venom minimizes pain (2014, May 14) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2014-05-cone-snail-venom-minimizes-pain.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.