

Discrimination associated with mental health woes in black teens

May 3 2014

The vast majority of African-American and Afro-Caribbean youth face racial discrimination, and these experiences are associated with an increased risk of mental health problems, according to a study to be presented Saturday, May 3, at the Pediatric Academic Societies (PAS) annual meeting in Vancouver, British Columbia, Canada.

"Sixty years after *Brown vs. Board of Education*, racism remains a toxic stressor commonly experienced by [youth](#) of color," said lead author Lee M. Pachter, D.O., FAAP. "The fact that these experiences are encountered during adolescence—a critically sensitive period for identity development—is of great concern, as is our finding of slightly higher rates of depression, anxiety and social phobias in those youth who have more experiences with discrimination."

The researchers analyzed data from the National Survey of American Life, which examines racial, ethnic and cultural influences on the [mental health](#) of African-Americans and Afro-Caribbeans (blacks living in the United States who are of Caribbean descent). Interviews were conducted with a nationally representative sample of 1,170 adolescents (1,017 African-Americans and 137 Afro-Caribbeans) ages 13-17 years.

"Our study looked at the relationships between perceived racial discrimination (racism) and various mental health issues. We wanted to see if African-American and Afro-Caribbean teenagers who experienced racial discrimination have higher rates of depression, anxiety or social phobia," said Dr. Pachter, professor of pediatrics at Drexel University

College of Medicine and chief of general pediatrics at St. Christopher's Hospital for Children in Philadelphia.

This is one of the few studies that look at experiences of black youth of Caribbean ancestry and ethnicity separate from African-American youth, Dr. Pachter noted. Because of differences in culture, pre- and post-immigration experiences, and other factors, it is important to differentiate groups that generally are lumped together as 'black' in the same way that Latinos are separated into subgroups such as Mexican American, Puerto Rican, Cuban, etc.

Survey results showed that 85 percent of the adolescents experienced racial discrimination. During their lifetime, 6 percent experienced major depression, 17 percent suffered from anxiety and 13 percent had social phobia. In the year before they were surveyed, 4 percent of teens had major depression, and 14 percent experienced anxiety.

More experiences with discrimination was associated with a higher likelihood of major depression, anxiety disorder and [social phobia](#) during one's lifetime, as well as [major depression](#) and anxiety in the 12 months before the survey was conducted. These associations were present for both African-Americans and Afro-Caribbeans, for males and females, and for younger and older teens.

Results also showed that increasing levels of racial discrimination had a greater effect on Afro-Caribbean youth, who experienced higher rates of anxiety than African-American teens.

"The challenge now is to identify interventions at the individual, family and community levels to lessen the mental health effects of [racial discrimination](#) while we as a society grapple with ways to eliminate it as a toxic stressor," Dr. Pachter concluded.

More information: Dr. Pachter will present "The Relationship Between Racial Discrimination and Mental Health in African American and Afro-Caribbean Youth: Results from a National Study" from 11:30-11:45 a.m. Saturday, May 3. To view the study abstract, go to [www.abstracts2view.com/pas/view ... hp?nu=PAS14L1_1435.5](http://www.abstracts2view.com/pas/view...hp?nu=PAS14L1_1435.5)

Provided by American Academy of Pediatrics

Citation: Discrimination associated with mental health woes in black teens (2014, May 3) retrieved 27 April 2024 from <https://medicalxpress.com/news/2014-05-discrimination-mental-health-woes-black.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.