

E-cigarettes expose people to more than harmless vapor, should be regulated

May 13 2014

In a major scientific review of research on e-cigarettes, UC San Francisco scientists found that industry claims about the devices are unsupported by the evidence to date, including claims that e-cigarettes help smokers quit.

The review marks the first comprehensive assessment of peer-reviewed published research into the relatively new phenomenon of <u>electronic</u> <u>cigarettes</u>.

The devices, which are rapidly gaining a foothold in popular culture particularly among youth, are marketed as a healthier alternative to tobacco smoking, as an effective tool to stop smoking, and as a way to circumvent smoke-free laws by allowing users to "smoke anywhere." Often the ads stress that <u>e-cigarettes</u> produce only "harmless <u>water vapor</u> ."

But in their analysis of the marketing, health and behavioral effects of the products, which are unregulated, the UCSF scientists found that ecigarette use is associated with significantly lower odds of quitting cigarettes. They also found that while the data are still limited, ecigarette emissions "are not merely 'harmless water vapor,' as is frequently claimed, and can be a source of indoor air pollution."

The long-term biological effects of use are still unknown, the authors said.



In tackling the question of whether e-cigarette use is helping or harming the nation's tobacco control efforts, the authors analyzed 84 research studies on e-cigarettes and other related scientific materials.

They concluded that e-cigarettes should be prohibited wherever <u>tobacco</u> <u>cigarettes</u> are prohibited and should be subject to the same marketing restrictions as conventional cigarettes.

The paper is published May 12, 2014 in the American Heart Association's journal *Circulation*.

E-cigarettes deliver a nicotine-containing aerosol popularly called "vapor" to users by heating a solution commonly consisting of glycerin, nicotine and flavoring agents. E-liquids are flavored, including tobacco, menthol, coffee, candy, fruit and alcohol flavorings.

Despite many unanswered questions about e-cigarette safety, the impact on public health, and whether the products are effective at reducing tobacco smoking, e-cigarettes have swiftly penetrated the marketplace in the United States and abroad in both awareness and use. Sold by the major multinational tobacco and other companies, the devices are aggressively marketed in print, television and the Internet with messages similar to cigarette marketing in the 1950s and 1960s, even in the U.S. and other countries that have long banned advertising for cigarettes and other tobacco products.

In one indication of the swiftness by which the devices have been embraced, in the U.S. youth "ever use" of the devices rose from 3.3 percent in 2011 to 6.8 percent the following year; in Korea, youth "ever use" of e-cigarettes rose from .5 percent in 2008 to 9.4 percent in 2011. "Ever use" means whether one has smoked the product even just once.

Furthermore, most adults and youths who use e-cigarettes are engaging



in "dual use" – smoking both e-cigarettes and conventional cigarettes.

While most youth using e-cigarettes are dual users, up to a third of adolescent e-cigarette users have never smoked a conventional cigarette, indicating that some youth are starting use of the addictive drug nicotine with e-cigarettes.

The report also tackles secondhand exposure.

"E-cigarettes do not burn or smolder the way conventional cigarettes do, so they do not emit side-stream smoke; however, bystanders are exposed to aerosol exhaled by the user," said the authors. Toxins and nicotine have been measured in that aerosol, such as formaldehyde, acetaldehyde, acetic acid and other toxins emitted into the air, though at lower levels compared to conventional cigarette emissions.

One study of e-cigarettes was conducted to resemble a smoky bar: the researchers found that markers of nicotine in nonsmokers who sat nearby was similar for both cigarette smoke and e-cigarette aerosol exposure. Short-term exposure studies of e-cigarette use show a negative impact on lung function and bystanders absorb nicotine from passive exposure to e-cigarette aerosol, the authors report.

While early research found that e-cigarettes resulted in lower levels of plasma nicotine than conventional cigarettes, more recent research demonstrated that experienced users can attain nicotine absorption similar to that with conventional cigarettes.

When UCSF scientists pooled the results of five population-based studies of smokers, they found that smokers who used e-cigarettes were about a third less likely to quit smoking than those who did not use ecigarettes. Whether e-cigarette use prevents attempts to quit or whether people who choose to use e-cigarettes are more highly dependent and



therefore have a harder time quitting remains to be determined.

The scientists said their research illustrates the need for product regulation.

"While it is reasonable to assume that, if existing smokers switched completely from conventional cigarettes (with no other changes in use patterns) to e-cigarettes, there would be a lower disease burden caused by nicotine addiction, the evidence available at this time, although limited, points to high levels of dual use of e-cigarettes with conventional cigarettes, no proven cessation benefits, and rapidly increasing youth initiation with e-cigarettes," the authors wrote.

"Furthermore, high rates of dual use may result in greater total public health burden and possibly increased individual risk if a smoker maintains an even low-level tobacco cigarette addiction for many years instead of quitting."

More information:

http://circ.ahajournals.org/content/129/19/1972.full

Provided by University of California, San Francisco

Citation: E-cigarettes expose people to more than harmless vapor, should be regulated (2014, May 13) retrieved 1 May 2024 from https://medicalxpress.com/news/2014-05-e-cigarettes-expose-people-harmless-vapor.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.