


ESPID: Gender doesn't affect child mortality after vaccines

May 13 2014



(HealthDay)—There are no gender-specific differences in child mortality related to the type of vaccine last administered, according to a study presented at the annual meeting of the European Society for Paediatric Infectious Diseases, held from May 6 to 10 in Dublin.

Tessa Schurink-van 't Klooster, from the National Institute for Public Health and the Environment in Bilthoven, Netherlands, and colleagues analyzed [mortality data](#) in a cohort of all Dutch children (aged 0 to 11 years in 2000 until 2011), and comparisons were made by gender.

The researchers found that over 30,023,459 person years, 21,362 children died (mortality rate 7.1/10,000 person years). For girls, mortality rate ratios (MRRs) ranged between 0.81 (95 percent confidence interval, 0.74 to 0.89) in children 2 to 13 months old and

0.90 (95 percent confidence interval, 0.77 to 1.07) in children aged 9 to 11 years, compared to boys. Analysis by the type of vaccine last received did not significantly change MRRs.

"The findings of this large population-based study are reassuring for continued trust in the safety of the national immunization program in high income countries," Schurink-van 't Klooster said in a statement. "However, ongoing evaluation of potential non-specific effects of vaccination on [mortality](#) and morbidity is needed to provide accurate information of the benefits and risks of vaccination."

More information: [More Information](#)

Copyright © 2014 [HealthDay](#). All rights reserved.

Citation: ESPID: Gender doesn't affect child mortality after vaccines (2014, May 13) retrieved 23 April 2024 from <https://medicalxpress.com/news/2014-05-esp-id-gender-doesnt-affect-child.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--