


# Yawning frequencies of people vary with temperature of the season, study finds

May 6 2014

---



Yawning helps cool the brain. Credit: Andrew Gallup

Common belief is that yawning helps to increase the oxygen supply. However, previous research has failed to show an association between yawning and blood oxygen levels. New research by a team of researchers led by Psychologist Andrew Gallup of SUNY College at Oneonta, USA now reveals that yawning cools the brain.

Sleep cycles, cortical arousal and stress are all associated with fluctuations in brain temperature, Yawning subsequently functions to keep the brain temperature balanced and in optimal homeostasis. According to this theory, yawning should also be easily manipulated by [ambient temperature](#) variation, since exchange with cool ambient air temperature may facilitate lowering brain temperature. Specifically, the researchers hypothesized that yawning should only occur within an optimal range of temperatures, i.e., a thermal window.

To test this, Jorg Massen and Kim Dusch of the University of Vienna measured contagious yawning frequencies of pedestrians outdoors in Vienna, Austria, during both the winter and summer months, and then compared these results to an identical study conducted earlier in arid climate of Arizona, USA. Pedestrians were asked to view a series of images of people yawning, and then they self-reported on their own yawning behavior.

Results showed that in Vienna people yawned more in summer than in winter, whereas in Arizona people yawned more in winter than in summer. It turned out that it was not the seasons themselves, nor the amount of daylight hours experienced, but that contagious yawning was constrained to an optimal thermal zone or range of ambient temperatures around 20o C. In contrast, contagious yawning diminished when temperatures were relatively high at around 37o C in the summer of Arizona or low and around freezing in the winter of Vienna. Lead author Jorg Massen explains that where yawning functions to cool the brain, yawning is not functional when ambient temperatures are as hot as the body, and may not be necessary or may even have harmful consequences when it is freezing outside.

While most research on contagious yawning emphasizes the influence of interpersonal and emotional-cognitive variables on its expression, this report adds to accumulating research suggesting that the underlying

mechanism for [yawning](#), both spontaneous and contagious forms, is involved in regulating [brain temperature](#). In turn, the cooling of the brain functions to improve arousal and mental efficiency. The authors of this study suggest that the spreading of this behavior via [contagious yawning](#) could therefore function to enhance overall group vigilance.

**More information:** *Physiology & Behavior*, Massen, J.J.M., Dusch, K., Eldakar, O.T. & Gallup, A.C. (2014) A thermal window for yawning in humans: Yawning as a Brain Cooling Mechanism. Published online on April 12th. [DOI: 10.1016/j.physbeh.2014.03.032](https://doi.org/10.1016/j.physbeh.2014.03.032).

Provided by University of Vienna

Citation: Yawning frequencies of people vary with temperature of the season, study finds (2014, May 6) retrieved 25 April 2024 from <https://medicalxpress.com/news/2014-05-frequencies-people-vary-temperature-season.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--