


Scientists develop a new way to decode specific aspects of movement in the human

May 14 2014, by Julie Cohen



Participants were positioned with their legs to the left of the scanner table to allow more room for wrist movement. This participant is shown in the neutral position for the palm-down posture. Credit: UCSB


Our human brains are filled with maps: visual maps of our external environments, and motor maps that define how we interact physically within those environments. Somehow these separate points of reference need to correspond with—and to—one another in order for us to act,

whether it's grasping a coffee cup or hitting a tennis ball.

How that happens is the focus of a new study by scientists at UC Santa Barbara. The researchers used neuroimaging to decode how the brain transforms sensory input into action. Their findings are reported in the *Journal of Neuroscience*.

A doctoral student in UCSB's new Interdepartmental Graduate Program in Dynamical Neuroscience, lead author Deborah Barany and colleagues measured brain activity as participants made wrist movements in different directions (left and right, or up and down) in one of two postures while in an MRI scanner.

"Trying to record the movements performed in the scanner was the first major challenge of the experiment," Barany said. To accomplish this, she implemented a sophisticated setup in which cameras recorded LED lights placed on the right hand to track very fine movements during [brain scanning](#). "We were ultimately able to gather a rich set of movement data to relate to brain activity."



All wrist movements were completed across four different run types. Each run was performed with either a palm-down or palm-mid posture and to vertical or horizontal targets. Credit: UCSB

The researchers used an analysis technique that allowed them to parse out the specific patterns of brain activity corresponding to different aspects of movement. Building on previous research, they found [brain areas](#) containing maps for the spatial location where a movement was to go as well as the actual movement direction. One of these areas, the

superior parietal lobule, contained information for both location and direction, suggesting that this area helps facilitate the transformation process.




Deborah Barany stands in front of the MRI scanner at the UCSB Brain Imaging Center. Credit: UCSB

An unexpected finding was that these movement-related maps were highly sensitive to the posture of the hand. "It was surprising to see representations of posture throughout the motor system," said Barany. "This may mean that posture-dependent planning is more widespread in the brain than previously thought."

"Even if you can distinguish [brain activity](#) for two actions, you still don't know if that is because of differences in where things are in the world or

differences in the way the muscles are being used," said Scott Grafton, a professor in UCSB's Department of Psychological and Brain Science and director of the campus's Action Lab, where Barany is a member. "What Deborah figured out how to do is overcome that uncertainty using state-of-the-art decoding methods."



Anatomical regions of interest for a typical participant. Credit: University of California - Santa Barbara

This work helps to explain the deficits of patients with neurological damage affecting the processing of visuomotor transformations. The researchers' findings may guide the development of novel therapies to treat patients with optic ataxia (an inability to accurately reach to objects) and ideomotor apraxia (a deficit in imitating gestures under command).

More information: Paper:

www.jneurosci.org/content/34/20/6860.short

Provided by University of California - Santa Barbara

Citation: Scientists develop a new way to decode specific aspects of movement in the human (2014, May 14) retrieved 25 April 2024 from <https://medicalxpress.com/news/2014-05-scientists-decode-specific-aspects-movement.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.