

Strokefinder quickly differentiates bleeding strokes from clot-induced strokes

June 16 2014



Pictured is the prototype of Strokefinder used in the clinical studies. Presently, a mobile stroke helmet is being completed and will be used for testing the equipment in ambulance. Andreas Fhager at Chalmers University of Technology is one of the researchers who is developing the mobile stroke helmet. Credit: Gunilla Brocker

The results from the initial clinical studies involving the microwave helmet Strokefinder confirm the usefulness of microwaves for rapid and accurate diagnosis of stroke patients. This is shown in a scientific article being published on June 16. Strokefinder enables earlier diagnosis than current methods, which improves the possibility to counteract brain damage.

In the article, researchers from Chalmers University of Technology, Sahlgrenska Academy and Sahlgrenska University Hospital present results from the initial patient studies completed last year. The study included 45 patients, and the results show that the technique can with great certainty differentiate bleeding strokes from clot-induced strokes in patients with acute symptoms.

Strokefinder is placed on the patient's head where it examines the brain tissue by using microwaves. The signals are interpreted by the system to determine if the stroke is caused by a blood clot or bleeding.

"The results of this study show that we will be able to increase the number of stroke patients who receive optimal treatment when the instrument makes a diagnosis already in the ambulance," says Mikael Persson, professor of biomedical engineering at Chalmers University of Technology. "The possibility to rule out bleeding already in the ambulance is a major achievement that will be of great benefit in acute stroke care. Equally exciting is the potential application in trauma care."

The initial patient studies have been performed inside hospitals, and this autumn the research groups at Chalmers and Sahlgrenska Academy will test a mobile stroke helmet on patients in ambulances.

"Our goal with Strokefinder is to diagnose and initiate treatment of [stroke patients](#) already in the ambulance," says Mikael Elam, professor of clinical neurophysiology at Sahlgrenska University Hospital. "Since

time is a critical factor for [stroke treatment](#), the use of the instrument leads to patients suffering less extensive injury. This in turn can shorten the length of stay at hospitals and reduce the need for rehabilitation, thus providing a number of other positive consequences for both the patient and the health care system."



The antennas of the helmet sequentially transmit weak microwave signals into the brain. At the same time, the receiving antennas listen for reflected signals. The brain's different structures and substances affect the microwave scattering and reflections in different ways. The received signals give a complex pattern, which is interpreted with the help of advanced algorithms. Based on these data, the system can diagnose bleeding or a clot. Bleeding is particularly pronounced, but an area with a clot and oxygen deficiency can also be distinguished. Credit: Boid

Studies involving Strokefinder are currently being conducted in Sweden at Sahlgrenska University Hospital and Södra Älvsborg Hospital. The research is being conducted in close collaboration between Chalmers University of Technology, Sahlgrenska Academy, Sahlgrenska University Hospital, Södra Älvsborg Hospital and MedTech West, which is a platform for collaboration in medical device R&D, with premises at Sahlgrenska University Hospital.

A new product, based on the results of the present study, has been developed, and further studies will be conducted in several countries in preparation for the CE approval that Medfield Diagnostics, a spin-off from Chalmers, expects to obtain later this year.

More information: The article "Microwave-based stroke diagnosis making global pre-hospital thrombolytic treatment possible" will be published in the *IEEE Transactions on Biomedical Engineering* journal on Monday, June 16. [DOI: 10.1109/TBME.2014.2330554](https://doi.org/10.1109/TBME.2014.2330554)

Provided by Chalmers University of Technology

Citation: Strokefinder quickly differentiates bleeding strokes from clot-induced strokes (2014, June 16) retrieved 1 May 2024 from <https://medicalxpress.com/news/2014-06-strokefinder-quickly-differentiates-clot-induced.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
