

When it comes to food, obese women's learning is impaired

July 16 2014



This Yale study identifies food-specific learning impairment in obese women. Results could lead to better obesity treatments. Credit: Ifat Levy, Yale University

Obese women were better able to identify cues that predict monetary rewards than those that predict food rewards, according to a study by Yale School of Medicine researchers and their colleagues in the journal *Current Biology*. The findings could result in specific behavioral interventions to treat obesity.



"Instead of focusing on reactions to the food itself, such interventions could focus on modifying the way in which obese individuals learn about the environment and about cues predicting food rewards," said lead author Ifat Levy, assistant professor of comparative medicine and neurobiology at Yale School of Medicine.

Levy and her colleagues examined how 133 normal-weight and <u>obese</u> <u>men</u> and women learn associations between cues and rewards. Participants saw two colored squares. One color was sometimes followed by an image of a reward; the other color was never followed by a reward. At some point, these contingencies switched—the second color was followed by a reward, while the first was not.

When presented with each color, participants indicated on a 1-9 scale how likely they thought it was that a reward image would appear. These ratings indicated how well they learned the cue-reward associations. Half of the participants did the experiment with food rewards (chocolate or pretzels) and half with money. Participants were informed that at the end of the experiment they would receive all the rewards they saw during the experiment.

The research team found that 18 obese women who performed the task with food rewards were impaired at learning and modifying cue-reward associations. These women rated both color squares as highly predictive of a food reward. Conversely, 16 <u>obese women</u> who performed the task with money rewards were able to both learn the initial associations and to modify them, as were normal-weight women in both the money and food groups. In an unexpected finding, there were no other differences between obese and normal-weight male participants in the study.

"What we observed is not a learning impairment, but rather a foodspecific impairment present only in obese female participants," said Levy.



More information: *Current Biology*, Zhang et al.: "Impaired associative learning with food rewards in obese women." <u>DOI:</u> <u>10.1016/j.cub.2014.05.075</u>

Provided by Yale University

Citation: When it comes to food, obese women's learning is impaired (2014, July 16) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2014-07-food-obese-women-impaired.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.