

Early bottlenecks in developing biopharmaceutical products delay commercialization

August 20 2014



From left to right: Jerry Thursby, Matthew Higgins and Marie Thrusby, the research team identified early bottlenecks in developing biopharmaceutical products and proposed a reporting system to help break through these bottlenecks. Credit: Georgia Institute of Technology

An analysis of patented university inventions licensed to biotechnology firms has revealed early bottlenecks on the path to commercialization. To open these roadblocks, the researchers suggest that better



communication of basic research results during the discovery stage could lead to faster commercialization down the road.

Biopharmaceutical drugs are frequently derived from discoveries made in university laboratories and licensed to biotechnology firms. Bottlenecks are well known during <u>clinical trials</u>, which have a high failure rate. But a new study pinpoints how much time is lost earlier in the pathway, when biotech companies give up on an invention and transfer the technology to other biotech firms for repurposing in a new disease category. Companies rarely share their basic research on an invention, which highlights what the researchers consider to be an underappreciated cost of commercialization as <u>basic science research</u> is then repeated, postponed, or never performed.

"The timeline for commercialization is much longer than most people think. There is so much turmoil and churn within the process," said coauthor Jerry Thursby, a professor and the Ernest Scheller, Jr. Chair in Innovation, Entrepreneurship, and Commercialization at the Scheller College of Business at the Georgia Institute of Technology.

The study was sponsored by the National Institutes of Health (NIH) and was published August 20 in the journal *Science Translational Medicine*.

The standard path to the marketplace for biotechnology is for universities to do most of the basic research and then license a discovery to a small biotechnology firm that advances the research. The small biotech firm will then sublicense the discovery to a large biotechnology firm that can afford to run clinical trials. The study found that basic research rarely proceeds in this straightforward path to commercialization, often zigzagging across biotech firms and research areas before a drug is finally developed.

"What these data reveal is that there's a lot of bench to bench



translational research. It's not linear," said Marie Thursby, a study coauthor and the Hal and John Smith Chair in Entrepreneurship at the Scheller College of Business. Matthew Higgins, an associate professor of strategic management, was also a co-author of the study.

For the study, the researchers built a database of 835 patents in 342 university licenses with <u>biotech firms</u>. The researchers then traced the path of patents to document whether they were subsequently sublicensed to another firm for testing in a new disease category or whether the sublicense was to a large firm for clinical trials or marketing. Sublicensing often resets the development timeline in what the authors refer to as bench-to-bench translational research.

"A very large fraction of the time, an invention pops out as something else and the timeline for the discovery stage starts all over again," said Jerry Thursby.

Of the 835 inventions studied, 27 percent appeared in a second license. The average time between invention and first license was five and a half years, and the average time between first- and second-license was three and a half years.

This time span for the upstream phase of the translation process is substantial, the study says, given that the average time from discovery to approval of new drugs (including biologics) by the U.S. Food and Drug Administration (FDA) is 13 years.

Of the first-licenses that list a stage of development, 92 percent were either at the discovery or lead molecule stages (the earliest two stages, respectively), with only 6 percent listed in clinical trials. Among the second-licenses, only 22 percent were in clinical trials or beyond.

"Nobody knew the magnitude of how much licensing changes and the



stages at which they change," said Marie Thursby. "The biotechnology industry is quite fragmented, and there are all sorts of informational problems."

This analysis of early-stage biomedical translation suggests that stakeholders need to design policies and initiatives that enhance early translation by more efficiently driving more inventions into multiple disease pipelines.

One option might be the formation of an open-source translational research database that complements clinicaltrials.gov, where patents and licenses for fundamental biomedical research believed to be destined for eventual therapeutic use initially would be logged and shared.

"What might be a failure to a biotech firm could be a success to society as a whole," Jerry Thursby said.

More information: Marie Thursby, et al., "Bench-to-Bench Bottlenecks in Translation." *Science Translational Medicine*, August 2014. stm.sciencemag.org/lookup/doi/... scitranslmed.3009000

Provided by Georgia Institute of Technology

Citation: Early bottlenecks in developing biopharmaceutical products delay commercialization (2014, August 20) retrieved 19 April 2024 from https://medicalxpress.com/news/2014-08-early-bottlenecks-biopharmaceutical-products-commercialization.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.