

# Intrinsic imaging phenotypes ID breast cancer recurrence

August 5 2014

---



(HealthDay)—Computer-extracted morphologic, kinetic, and tumor heterogeneity dynamic contrast material-enhanced (DCE) magnetic resonance (MR) imaging features can help predict the likelihood of breast cancer recurrence, according to a study published in the August issue of *Radiology*.

Ahmed Bilal Ashraf, Ph.D., from the University of Pennsylvania Perelman School of Medicine in Philadelphia, and colleagues retrospectively analyzed DCE MR images of the breast in 56 women (mean age, 55.6 years) diagnosed with estrogen receptor-positive [breast cancer](#) between 2005 and 2010. A gene expression assay was used to score the likelihood of recurrence of primary tumors. For each tumor, a multiparametric imaging phenotype vector was extracted using quantitative morphologic, kinetic, and spatial heterogeneity features.

The researchers observed a moderate correlation (P recurrence score. Recurrence risk was predicted by DCE MR imaging features as determined by the surrogate assay, with an area under the receiver operating characteristic curve of 0.77 (P

"These imaging biomarkers could ultimately help guide treatment decisions," the authors write.

One author disclosed financial ties to Hologic.

**More information:** [Abstract](#)  
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2014 [HealthDay](#). All rights reserved.

Citation: Intrinsic imaging phenotypes ID breast cancer recurrence (2014, August 5) retrieved 26 April 2024 from  
<https://medicalxpress.com/news/2014-08-intrinsic-imaging-phenotypes-id-breast.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--