

Seals and sea lions likely brought tuberculosis to the Americas, new research shows

August 20 2014



South American Fur Seal, Argentina (*Arctocephalus australis*) Credit: Ricardo Bastida

Tuberculosis is one of the most persistent and deadliest infectious diseases in the world, killing one to two million people each year.

Scientists who study [tuberculosis](#) have long debated its origins. New research shows that tuberculosis likely spread from humans in Africa to seals and [sea lions](#) that brought the disease to South America and transmitted it to Native people there before Europeans landed on the continent.

The paper, "Pre-Columbian Mycobacterial Genomes Reveal Seals as a Source of New World Human Tuberculosis," was published in *Nature*.

"We found that the tuberculosis [strains](#) were most closely related to strains in pinnipeds, which are seals and sea lions," said researcher Anne Stone, Arizona State University School of Human Evolution and Social Change professor. Stone and Johannes Krause of the University of Tübingen in Germany are co-principal investigators on the project. Research teams from the Wellcome Trust Sanger Institute in the United Kingdom and the Swiss Institute for Tropical and Public Health were collaborators on the study.

"What we found was really surprising. The ancient strains are distinct from any known human-adapted tuberculosis strain," Stone added.

Modern strains of tuberculosis currently circulating are most closely related to those found in Europe, and there was a complete replacement of the older strains when European disease reached the Americas during the age of exploration. Researchers found that genomes from humans in Peru dating from about 1,000 year ago provide unequivocal evidence that a member of the tuberculosis strain caused disease in South America before Europeans arrived, so the question among the scientists was, "What types of tuberculosis strains were present before contact?"

"The age of exploration is a time when people are moving really long distances around the world and coming into contact with others. It's a time when a lot of disease spread," Stone said. "This opens up a lot of

new questions. It fits the bioarcheological evidence that shows the oldest evidence for tuberculosis in South America."

"The connection to seals and sea lions is important to explain how a mammalian-adapted pathogen that evolved in Africa around 6,000 years ago could have reached Peru 5,000 years later," Krause said.

In the study, researchers collected genetic samples from throughout the world and tested those for tuberculosis DNA while utilizing advances in technology during the past five years that enable more accurate genome capture from ancient samples. Of 76 DNA samples from New World pre- and post-contact sites, three from Peru around 750 to 1350 AD had tuberculosis DNA that could be used. The researchers then focused on these three samples and used array-based capture to obtain and map the complete genome.

These were compared against a larger dataset of modern genomes and animal strains. Research results showed the clear relationship to animal lineages, specifically seals and sea lions.

"Our results show unequivocal evidence of human infection caused by pinnipeds (sea lions and [seals](#)) in pre-Columbian South America. Within the past 2,500 years, the marine animals likely contracted the disease from an African host species and carried it across the ocean to coastal people in South America," Stone said.

Africa has the most diversity among tuberculosis strains, implying that the pathogen likely originated from the continent and spread. After tuberculosis was established in South America, it may have moved north and infected people in North America before European settlers brought new strains in.

"We hypothesize that when the more virulent European strains came,

they quickly replaced the pinniped strains," Stone said.

"It was a surprise for all of us to find that tuberculosis, formerly believed to have spread around the world with ancient human migration events, is in fact a relatively young disease," said Kelly Harkins, one of the study's first authors and recent doctoral graduate from ASU's Center for Bioarchaeological Research.

"A compelling prospect for future research will be to determine the relationship of these older forms to those currently circulating, and those isolated from other ancient remains," said Kirsten Bos, postdoctoral fellow at the University of Tuebingen and another first author on the study.

Study implications include a greater understanding of the speed and process of adaptation when a disease changes hosts. This is especially of interest when considering diseases that are transmitted between species - MERS, SARS and HIV - and how these are spread, Stone added.

"Tuberculosis is a disease that is on the rise again worldwide. This study and further research will help us understand how the disease is transmitted and how the disease may evolve," said Jane Buikstra, a collaborator on the study who identified tuberculosis in most of the cases utilized in the research. Buikstra is an ASU Regents' Professor and Director of the Center for Bioarchaeological Research.

More information: Pre-Columbian mycobacterial genomes reveal seals as a source of New World human tuberculosis, *Nature*, [dx.doi.org/10.1038/nature13591](https://doi.org/10.1038/nature13591)

Provided by Arizona State University

Citation: Seals and sea lions likely brought tuberculosis to the Americas, new research shows (2014, August 20) retrieved 7 May 2024 from <https://medicalxpress.com/news/2014-08-sea-lions-brought-tuberculosis-americas.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.