

Abhor asparagus and can't stand coffee? You may be a supertaster

September 15 2014, by Alex Russell



If some foods weird out your taste buds, read on to see if you fall in the 'supertaster' quarter of the population. Credit: parkydoodles/Flickr, CC BY-NC-SA

There are natural variations between humans in our senses. We need different prescriptions to correct our eyesight. Some people say that [vinyl sounds better](#) than CDs or MP3s and will pay [big money](#) for audio

equipment, while others can't tell the difference.

So what about taste and smell? Many of us have heard of supertasters, but why – and how – do they exist? And how can you tell if you're one too?

Strictly speaking, the word "taste" refers to the five primary tastes: sweet, sour, bitter, salty and umami.

There is some evidence for other primary tastes, with [fat](#) most likely to be the next to be recognised. Others include [calcium](#) and metallic, although the latter is often due to various [disorders or conditions](#).

It's the [bitter taste](#) that started all of this supertaster stuff. In 1931, American chemist Arthur Fox accidentally released a cloud of phenylthiocarbamide ([PTC](#)) powder into his laboratory. Some of this cloud went into Fox's mouth, and that of one of his colleagues. His colleague complained that it tasted intensely bitter, while Fox tasted nothing.

They tasted it again, with the same result. Fox went on to get others to taste PTC. He [found](#) that some found it intensely bitter, some mildly bitter, and others could not taste anything.

These differences in perception are partly due to the nature of the receptors in your mouth, which differ [depending on your genes](#). The [gene](#) that codes for the PTC receptor exists in two common forms (and a few rare forms), which result in bitterness proteins with slightly different shapes. This, in turn, has an effect on how sensitive you are to bitterness – but that's not the end of the story.

The term 'supertaster' is born

These days, chemosensory scientists use 6-n-propylthiouracil ([PROP](#) or PTU) instead of PTC. PTC is a [little bit toxic](#), so beware of taste and smell scientists such as Fox approaching you and asking you to "taste this".

In 1991, American psychologist [Linda Bartoshuk](#) conducted experiments using PROP. She coined the term "supertasters" for people who found PROP intensely bitter, and the term stuck.

During these experiments, Bartoshuk noticed that these supertasters had a more dense covering of structures that contain [taste buds](#) (known as [fungiform papillae](#)) on their tongue. She concluded that the number of receptors is important, too. You can actually use this information to [test](#) if you are a supertaster.

Fewer than 15 tastebuds in an area the size of a hole punch indicates a "non-taster", between 15 and 35 means you fall in the average range, while if you have more than 35 tastebuds in that area, you're a supertaster.

About one in four of us is a supertaster, one in four is a non-taster (such as Fox) and the rest of us are "medium" or "average" tasters. The proportions vary a little by [culture](#) and there is some variation within each group.

Supertasting is not restricted to bitterness. Supertasters often report that sweet or sour tastes are [more intense](#). Salt appears to be a bit of a [different beast](#) – it seems that supertasters actually consume more salt, possibly because it masks bitterness.

You may already have an inkling if you are a supertaster based on the foods that you like. If you find [coffee](#) too bitter for your tastes, you may be a supertaster.

You may be [thinner](#) because you have a healthier diet. This is because you avoid sugar and fat (although this all depends on what you consider a healthy diet to be – there seems to be a [new story every week](#)).

But being a supertaster might also put you off [healthy bitter foods](#), such as broccoli, Brussels sprouts or asparagus.

While bitterness is important for some foods (such as chocolate), we generally reject bitter foods because [poisonous things](#) are usually bitter. At least [one study](#) suggests that supertasters do indeed eat fewer bitter vegetables.

Fortunately for asparagus farmers, scientists have [developed "bitter blockers"](#). So, kids of the world, you may not be able to use the supertaster excuse for avoiding your vegetables. Parents – thank me later. Kids – my sincere apologies.

Are there supersmellers?

We have five (or so) primary tastes, but there doesn't seem to be such a thing as a primary smell. Instead, our olfactory system can discriminate between thousands of different smells due to loads of [different receptors](#), all coded for by specific genes.

Different people have different genes. Given the number of different types of receptors involved, the chances of having dinner with someone with the same set of receptors as you are quite low.

Just like Fox and co's different experiences of PTC, our experiences of smell (and therefore our [perceptions of flavour](#)) vary.

[Rotundone](#) is the main chemical responsible for the smell of pepper (called a *character impact odorant*). It's pretty strong and yet about 25%

of the population can't detect it at all, while still being able to detect other smells.

Rotundone is an interesting case because it's also present in many wines made from the grape [Shiraz](#) (or Syrah). These wines are often noted for their spicy or peppery characteristics. So when wine experts describe a Shiraz as peppery, they're not making it up – it contains the same chemical as pepper.

So are some people more sensitive to smell? [Sure](#), just as some are more sensitive to taste, to light (such as Bono, who claims to have [sensitive eyes](#)) and to other stimuli.

Our senses of taste and smell are essentially little chemistry labs that conduct loads of experiments to determine which chemicals are present in food, drinks and air. But not all chemistry labs are created equal – some of us have equipment that others don't have and can therefore detect different chemicals. And for some of us, our equipment is more sensitive.

So next time you're having an argument with someone over dinner about whether the meal is any good, keep in mind that their experience is probably very different to yours.

This story is published courtesy of [The Conversation](#) (under Creative Commons-Attribution/No derivatives).

Source: The Conversation

Citation: Abhor asparagus and can't stand coffee? You may be a supertaster (2014, September 15) retrieved 5 May 2024 from <https://medicalxpress.com/news/2014-09-abhor-asparagus-coffee-supertaster.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.