

Breast screening for over 70s doesn't prompt sharp fall in advanced disease

September 14 2014

Including much older women in a national breast cancer screening program does not prompt a sharp fall in new cases of advanced disease in this age group—as would be expected for a successful initiative—reveals a study of the Dutch experience, published in *BMJ* today.

Instead, it may just lead to overdiagnosis and overtreatment, suggest the researchers, led by a team based at Leiden University Medical Centre in the Netherlands.

Their paper publishes as the Preventing Overdiagnosis conference opens next week (Monday 15 Sept), where experts from around the world will discuss how to tackle the threat to health and the waste of money caused by unnecessary care. The conference is hosted by the Centre for Evidence-Based Medicine at the University of Oxford in partnership with *The BMJ*'s Too Much Medicine campaign.

The upper age limit for the national breast cancer <u>screening</u> programme was extended to women aged 69 to 75 in 1998 in the Netherlands, and national guidelines now recommend screening women up to the age of 75.

This is despite no strong evidence showing that screening much older women is effective, say the researchers, due to the rarity of this age group in any of the clinical trials on which the policy is based.



But breast cancer is the most common cancer and biggest cause of death from cancer in women around the globe. And as populations age, the proportion of older women who are diagnosed with the disease is set to increase in the developed world.

The researchers therefore wanted to find out if the national breast screening programme in the Netherlands has made a significant dent in the numbers of late stage cancers among 70-75 year olds - a hallmark of success.

They tracked all new cases of invasive and non-invasive (in situ) breast cancer, diagnosed in this age group from 1995 up to 2011, using data from the Netherlands Cancer Registry. They separated cases into the period before (1995-7), after (2003-11), and in-between (1998-2002) the introduction of the national screening programme, which came to almost 25,500 in all.

And they included 13,000 women aged 76-80, to take account of any changes in breast cancer incidence among <u>older women</u> ineligible for national screening.

Analysis of the data showed that new cases of early stage breast cancer among 70-75 year olds rose sharply after national screening was introduced, from 248.7 to 362.9 per 100,000 women.

But while there was a significant fall in the numbers of new cases of advanced breast cancer, the absolute decrease was small, dropping from 58.6 before, to 51.8 cases per 100,000 women after, the national screening programme was introduced.

Among 76-80 year olds, new cases of early stage disease fell slightly, but the numbers of new <u>cases</u> of advance breast cancer didn't change.



Based on the figures, the researchers calculated that for every advanced stage cancer detected by screening among 70-75 year olds, around 20 "extra" and therefore "overdiagnosed" <u>early stage</u> cancers are picked up, which they describe as a "considerable proportion."

Overdiagnosis and overtreatment are important, the researchers emphasise, because they can undermine quality of life, and because older people are more vulnerable to the side effects of <u>breast cancer</u> <u>treatment</u>. And they come with a potentially hefty price tag in return for little obvious health benefit, they point out.

"Instead of using mass screening, the decision to participate in the screening programme should be personalised, based on remaining life expectancy, <u>breast cancer</u> risk, functional status and patients' preferences," they conclude.

More information: BMJ, www.bmj.com/cgi/doi/10.1136/bmj.g5410

Provided by British Medical Journal

Citation: Breast screening for over 70s doesn't prompt sharp fall in advanced disease (2014, September 14) retrieved 10 April 2024 from https://medicalxpress.com/news/2014-09-breast-screening-70s-doesnt-prompt.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.