

Caffeine helps cancer survivors reach exercise goals

September 1 2014, by Helen Burdon



Prostate cancer survivor, John Brady, participating in exercise session with UQ Clinical Exercise Physiology students Nicholas Edwards(left) and Daniel Harth (Right)

Caffeine may improve exercise capacity and reduce fatigue in cancer survivors, a University of Queensland study has found.

The study is the first of its kind to investigate whether caffeine, the world's most commonly used stimulant, can help prostate <u>cancer</u> <u>survivors</u> exercise.

Dr Tina Skinner from the Centre for Research on Exercise, Physical



Activity and Health at UQ's School of Human Movement Studies said that caffeine might be an effective way to encourage exercise in <u>prostate</u> <u>cancer</u> survivors, improving their health.

"Cancer survivors face unique challenges relating to the risk of <u>cancer</u> <u>recurrence</u> and the development of other chronic diseases, as well as experiencing treatment and disease-related physical and psychological side-effects," she said.

"Common side-effects such as fatigue, pain, nausea and other symptoms make it difficult for cancer survivors to exercise at the optimal intensity for health benefits.

"Our study suggests that consuming caffeine one hour prior to exercise improves exercise capacity and muscular strength in prostate cancer survivors."

A randomised controlled trial was carried out on 30 prostate cancer survivors who consumed either approximately six milligram per kilogram of their body weight of caffeine, or a placebo, one hour prior to completing a series of exercises.

The researchers examined immediate fatigue and perceived exertion pre and post exercise and measured changes in exercise capacity and functional performance.

"We found that caffeine appears to enhance exercise tolerance. Participants reported improved performance and muscular strength with no subsequent increase in fatigue or perception of exertion," Dr Skinner said.

"This is good news for prostate cancer survivors as exercise can help counteract many of the side- effects of prostate cancer treatments such



as decreased muscle mass, strength and bone density."

The next step in the research process involves conducting a doseresponse study to provide a recommended optimal dose of <u>caffeine</u> for prostate cancer survivors.

The findings of this study were presented last month at the European College of Sports Science Congress in Amsterdam, The Netherlands.

More information: "Effect of Caffeine on Exercise Capacity and Function in Prostate Cancer Survivors." Cornish, Rahchell S.; Bolam, Kate A.; Skinner, Tina L. *Medicine & Science in Sports & Exercise*: Post Acceptance: June 27, 2014. DOI: 10.1249/MSS.00000000000000429

Provided by University of Queensland

Citation: Caffeine helps cancer survivors reach exercise goals (2014, September 1) retrieved 20 March 2024 from https://medicalxpress.com/news/2014-09-caffeine-cancer-survivors-goals.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.