

Impact on gut microbiota of a fermented milk product containing probiotics

September 12 2014

Scientists from INRA and Danone Nutricia Research have shown the effect of a fermented milk product containing probiotics on the gut microbiota, using a novel high resolution bioinformatics tool. The product affected certain gut bacteria without changing the global composition of the microbial community. These findings, published in *Scientific Reports* on 11 September 2014, open new perspectives to understand the effects of probiotics on our health.

Fermented foods, and especially yoghurts, contain large amounts of live [bacteria](#). We have been consuming them since the Neolithic Era (12,000 years ago), but our understanding of their impact on the [digestive tract](#) remains limited. Until recently, technological barriers prevented from studying in details the billions of bacteria living in our [gut](#). The European consortium MetaHIT, coordinated by INRA, has made major breakthroughs in this field that expanded the scientific knowledge on the role of this microbiota and resulted in the discovery of many bacterial species hitherto unknown.

Building on these new technologies, teams from INRA and Danone Nutricia Research succeeded in analyzing for the first time with great accuracy the effects of consuming a fermented milk product containing probiotics such as *Bifidobacterium lactis*, on gut bacteria. "In this study, we studied the effect of the product on individuals afflicted with Irritable Bowel Syndrome (IBS), a pathology affecting 20% of the population in industrialized countries" says Dusko Ehrlich who led the research at INRA.

Researchers observed that, upon intake of this fermented milk product comprised of probiotics, the abundance of certain bacteria naturally producing butyrate increased, though the global composition of the flora remained unchanged. Butyrate is known for its beneficial effects on gut health. Previous studies have shown a decrease in butyrate producing bacteria in IBS individuals. Moreover, the scientists observed a decrease of *Bilophila wadsworthia* bacteria, which is thought to be involved in the development of intestinal diseases.

This pilot study on 28 individuals leads to relevant and reliable scientific hypotheses relating health and the consumption of fermented milk products containing probiotics. It also shows the potential in using new tools to analyze existing interactions between [gut microbiota](#) and probiotics. "Up until now, it was impossible to study the impact of [probiotics](#) on gut microbiota at a bacterial species level; from now on we will have a much more detailed view of the dynamics of this ecosystem" says Dusko Ehrlich.

What are probiotics?

Probiotics are "live micro-organisms which, when administered in adequate amounts, confer a health benefit on the host, beyond the common nutritional effects" (FAO/WHO, 2001). They facilitate fiber digestion, boost the immune system and prevent or treat diarrhea. Today, dozens of bifidobacteria and lactobacilli are marketed in certain foods such as yoghurts or fermented milk products.

More information: Patrick Veiga, Nicolas Pons, Anurag Agrawal, Raish Oozeer, Denis Guyonnet, Rémi Brazeilles, Jean-Michel Faurie, Johan E. T. van Hylckama Vlieg, Lesley A. Houghton, Peter J. Whorwell, S. Dusko Ehrlich & Sean P. Kennedy. "Changes of the human gut microbiome induced by a fermented milk product." *Scientific Reports*, 11 September 2014. [DOI: 10.1038/srep06328](https://doi.org/10.1038/srep06328)

Provided by INRA

Citation: Impact on gut microbiota of a fermented milk product containing probiotics (2014, September 12) retrieved 19 April 2024 from <https://medicalxpress.com/news/2014-09-impact-gut-microbiota-fermented-product.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.