

Childhood psychological abuse as harmful as sexual or physical abuse

October 8 2014

Children who are emotionally abused and neglected face similar and sometimes worse mental health problems as children who are physically or sexually abused, yet psychological abuse is rarely addressed in prevention programs or in treating victims, according to a new study published by the American Psychological Association.

"Given the prevalence of childhood psychological abuse and the severity of harm to young victims, it should be at the forefront of [mental health](#) and social service training," said study lead author Joseph Spinazzola, PhD, of The Trauma Center at Justice Resource Institute, Brookline, Massachusetts. The article appears in a special online issue of the APA journal *Psychological Trauma: Theory, Research, Practice, and Policy*.

Researchers used the National Child Traumatic Stress Network Core Data Set to analyze data from 5,616 youths with lifetime histories of one or more of three types of abuse: psychological maltreatment ([emotional abuse](#) or emotional neglect), physical abuse and [sexual abuse](#). The majority (62 percent) had a history of psychological maltreatment, and nearly a quarter (24 percent) of all the cases were exclusively psychological maltreatment, which the study defined as care-giver inflicted bullying, terrorizing, coercive control, severe insults, debasement, threats, overwhelming demands, shunning and/or isolation.

Children who had been psychologically abused suffered from anxiety, depression, low self-esteem, symptoms of post-traumatic stress and suicidality at the same rate and, in some cases, at a greater rate than

[children](#) who were physically or sexually abused. Among the three types of abuse, psychological maltreatment was most strongly associated with depression, general anxiety disorder, social anxiety disorder, attachment problems and substance abuse. Psychological maltreatment that occurred alongside physical or sexual abuse was associated with significantly more severe and far-ranging negative outcomes than when children were sexually and physically abused and not psychologically abused, the study found. Moreover, sexual and physical abuse had to occur at the same time to have the same effect as psychological abuse alone on behavioral issues at school, attachment problems and self-injurious behaviors, the research found.

"Child protective service case workers may have a harder time recognizing and substantiating emotional neglect and abuse because there are no physical wounds," said Spinazzola. "Also, [psychological abuse](#) isn't considered a serious social taboo like physical and sexual child abuse. We need public awareness initiatives to help people understand just how harmful psychological maltreatment is for children and adolescents."

Nearly 3 million U.S. children experience some form of maltreatment annually, predominantly by a parent, family member or other adult caregiver, according to the U.S. Children's Bureau. The American Academy of Pediatrics in 2012 identified psychological maltreatment as "the most challenging and prevalent form of child abuse and neglect."

For the current study, the sample was 42 percent boys and was 38 percent white; 21 percent African-American; 30 percent Hispanic; 7 percent other; and 4 percent unknown. The data were collected between 2004 and 2010 with the average age of the children at the beginning of the collection between 10 and 12 years. Clinicians interviewed the children, who also answered questionnaires to determine behavioral health symptoms and the traumatic events they had experienced. In

addition, caregivers responded to a questionnaire with 113 items pertaining to the child's behavior. Various sources, including clinicians' reports, provided each child's trauma history involving psychological maltreatment, [physical abuse](#) or sexual [abuse](#).

More information: Unseen Wounds: The Contribution of Psychological Maltreatment to Child and Adolescent Mental Health and Risk Outcomes, Oct. 8, 2014, *Psychological Trauma: Theory, Research, Practice, and Policy*

Provided by American Psychological Association

Citation: Childhood psychological abuse as harmful as sexual or physical abuse (2014, October 8) retrieved 18 April 2024 from

<https://medicalxpress.com/news/2014-10-childhood-psychological-abuse-sexual-physical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.