

Clinical trial evaluates heterologous prime/boost regimens in preventative HIV vaccination

October 1 2014

Almost 40 million people worldwide live with HIV/AIDS, with an estimated 2.5 million new cases per year. Therefore, there has been a large global effort to develop an effective vaccine against the virus. HIV-1 vaccine development has been challenging but recent clinical trials have been promising.

A new study in the *Journal of Clinical Investigation* discusses the results from a clinical trial that evaluated the immune response following different HIV vaccine regimes. Nicole Frahm and colleagues tested prime-boost regimes combining a New York vaccinia HIV clade B (NYVAC-B) vaccine and a recombinant adenovirus 5–vectored (rAd5-vectored) vaccine in a cohort of healthy volunteers.

Individuals that received the rAd5-vectored vaccine followed by the NYVAC-B vaccine exhibited the strongest anti-HIV immune responses. A regime in which individuals received the NYVAC-B vaccine prior to the rAd5-vectored vaccine was not as effective.

The results from this study will be important for the design of further clinical trials to evaluate potential HIV-1 vaccine regimes.

More information: HIV-specific humoral responses benefit from stronger prime in phase Ib clinical trial , *J Clin Invest*. DOI: <u>10.1172/JCI75894</u>



Provided by Journal of Clinical Investigation

Citation: Clinical trial evaluates heterologous prime/boost regimens in preventative HIV vaccination (2014, October 1) retrieved 4 May 2024 from https://medicalxpress.com/news/2014-10-clinical-trial-heterologous-primeboost-regimens.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.