

Defective gene renders diarrhoea vaccine ineffective

October 14 2014

Every year rotavirus causes half a million diarrhoea-related deaths amongst children in developing countries. Existing vaccines provide poor protection. The reason could be a widespread genetic resistance amongst children, according to virologists at Linköping University.

Acute diarrhoeal illnesses cause nearly one-fifth of all [child deaths](#) in [developing countries](#). The most common cause is [rotavirus](#). Improved sanitation and hygiene have had a limited effect on the spread of the illness. Today, vaccination is considered the most important method for reducing mortality. Unfortunately, several studies have shown that the two available living vaccines, Rotarix and RotaTeq, which are recommended by bodies including the World Health Organization, are not sufficiently effective in developing countries. In many African countries, protection has been as low as 20-50%.

The current study, to be published in the top-ranked *Journal of Clinical Infectious Diseases* by Johan Nordgren from Professor Lennart Svensson's research group, shows that up to four of ten children in Burkina Faso are genetically resistant to the virus strains found in the vaccines.

The researchers found that children who can not express a particular sugar molecule in the small intestine, called the Lewis molecule, do not become infected by the rotavirus types found in existing vaccines. This Lewis molecule is probably needed as a receptor for the rotavirus to be able to enter and infect the host cell in the intestine. This means that

these children do not get the desired immunological protection from the [vaccine](#).

The occurrence of these Lewis-negative children is small in Europe and North America, but up to ten times higher in many African countries.

These results have gained significant international attention, and can greatly impact the evaluation of the rotavirus vaccines now being introduced in several developing countries. The results could lead to a review of the vaccine composition, and the development of vaccines better suited to the populations most affected by rotavirus.

More information: *Clin Infect Dis.* (2014). [DOI: 10.1093/cid/ciu633](https://doi.org/10.1093/cid/ciu633)

Provided by Linköping University

Citation: Defective gene renders diarrhoea vaccine ineffective (2014, October 14) retrieved 6 May 2024 from <https://medicalxpress.com/news/2014-10-defective-gene-diarrhoea-vaccine-ineffective.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--