

# New research shows fish intake associated with boost to antidepressant response

October 20 2014

---

Up to half of patients who suffer from depression (Major Depressive Disorder, or MDD) do not respond to treatment with SSRIs (Selective Serotonin Reuptake Inhibitors). Now a group of Dutch researchers have carried out a study which shows that increasing fatty fish intake appears to increase the response rate in patients who do not respond to antidepressants. This work is being presented at the European College of Neuropsychopharmacology congress in Berlin.

According to lead researcher, Roel Mocking (Amsterdam): "We were looking for biological alterations that could explain depression and antidepressant non-response, so we combined two apparently unrelated measures: metabolism of fatty acids and stress hormone regulation. Interestingly, we saw that depressed patients had an altered metabolism of fatty acids, and that this changed metabolism was regulated in a different way by [stress hormones](#)".

The researchers were looking at the relationship between depression and fatty acids, and various hormones, including the [stress hormone cortisol](#). They took 70 patients with depression and compared them to 51 healthy controls, by measuring their fatty acid levels and cortisol levels. They then gave the [depressed patients](#) 20mg of an SSRI daily for 6 weeks, and in those who did not respond to the SSRIs the dose was gradually increased up to 50mg/day. Fatty acid and [cortisol levels](#) were measured during the trial.

They found that the MDD patients who didn't respond to the SSRI also

tended to have abnormal [fatty acid metabolism](#), so they checked the dietary habits of all those taking part in the trial. Fatty fish is rich in fatty acids, such as the well-known Omega-3 DHA. So the researchers looked at the amount of [fatty fish](#) in the diet of all involved in the trial. They categorised the patients into 4 groups, according to their fatty fish intake, and they found that those who took the least fish tended to respond badly to anti-depressants, whereas those who had most fish in the diet responded best to anti-depressants. Those who ate fatty fish at least once a week had a 75% chance of responding to antidepressants, whereas those who never ate fatty fish had only a 23% chance of responding to antidepressants. Roel Mocking continued:

"This means that the alterations in fatty acid metabolism (and their relationship with stress hormone regulation) were associated with future antidepressant response. Importantly, this association was associated with eating fatty fish, which is an important dietary source of omega-3 fatty acids. These findings suggest that measures of fatty acid metabolism, and their association with stress hormone regulation, might be of use in the clinic as an early indicator of future antidepressant response. Moreover, fatty acid metabolism could be influenced by eating fish, which may be a way to improve antidepressant response rates".

"So far this is an association between [fatty acids](#) in blood and anti-depressant response; so it's not necessarily a causal effect. Our next step is to look at whether these alterations in fatty acid metabolism and hormonal activity are specific for depression, so we are currently repeating these measurements in [patients](#) with post-traumatic stress disorder and schizophrenia".

ECNP President, Professor Guy Goodwin (Oxford) said:

'Understanding non-response to treatment with SSRIs remains an important known unknown. There is already an intriguing association

between eating fish and general health. The present study, while preliminary, takes the story into the realm of depression. Larger scale definitive studies will be of considerable interest".

Provided by European College of Neuropsychopharmacology

Citation: New research shows fish intake associated with boost to antidepressant response (2014, October 20) retrieved 2 May 2024 from <https://medicalxpress.com/news/2014-10-fish-intake-boost-antidepressant-response.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.