

Most liver cancer patients do not receive proper care

October 6 2014

Many US patients with liver cancer—even those with early stage disease that can often be cured—do not receive treatment for their disease, according to an analysis of studies published between 1989 and 2013.

Less than one fourth of patients undergo curative treatment, and nearly 50% do not receive any treatment. Elderly, non-Caucasians and patients of low socioeconomic status had lower treatment rates than their counterparts.

"We found the low treatment rates among patients with early stage tumors particularly concerning. Many of these patients currently fail to receive any treatment despite having <u>curative treatment</u> options that could afford long-term survival," said Dr. Amit Singal, senior author of the Alimentary Pharmacology and Therapeutics paper. "These findings highlight the urgent need for interventions such as multidisciplinary management clinics to optimize treatment of <u>patients</u> with primary <u>liver</u> cancer."

More information: Tan, D., Yopp, A., Beg, M. S., Gopal, P. and Singal, A. G. (2013), Meta-analysis: underutilisation and disparities of treatment among patients with hepatocellular carcinoma in the United States. *Alimentary Pharmacology & Therapeutics*, 38: 703–712. DOI: 10.1111/apt.12450



Provided by Wiley

Citation: Most liver cancer patients do not receive proper care (2014, October 6) retrieved 5 May 2024 from <u>https://medicalxpress.com/news/2014-10-liver-cancer-patients-proper.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.