

Institutional rearing may increase risk attention-deficit disorder

October 14 2014

Over the past decades, we have seen numerous tragic examples where the failure of institutions to meet the needs of infants for social contact and stimulation has led to the failure of these infants to thrive.

Infancy and childhood are critical life periods that shape the development of the cortex. A generation of research suggests that enriched environments, full of interesting stimuli to explore, promote [cortical development](#) and cognitive function. In contrast, deprivation and stress may compromise cortical development and attenuate some cognitive functions.

Young children who are raised in environments of psychosocial neglect, such as those who grow up in institutions for orphaned or abandoned children, are at markedly elevated risk for developing a wide range of [mental health](#) problems, including attention-deficit/hyperactivity disorder (ADHD).

Now, new data from the Bucharest Early Intervention Project (BEIP), published in the current issue of *Biological Psychiatry*, suggests that this type of deprived early environment is associated with drastic changes in brain development in children.

BEIP is a longitudinal study that has followed a sample of children raised from early infancy in institutions in Romania. The authors of the current report used data from 58 of those children and compared it with 22 typically-reared children from the same community. All children

underwent a structural imaging scan and were assessed for symptoms of ADHD.

The researchers discovered that children raised in institutional settings exhibited widespread reductions in cortical thickness in multiple brain regions including the prefrontal, parietal, and temporal cortices relative to children raised in families in the community.

The data also revealed that the reduced cortical thickness in several of those same brain regions was associated with greater ADHD symptoms of inattention and impulsivity.

This is consistent with previous research that has implicated those [brain regions](#) in regulating attention, memory, and other vital cognitive processes.

"Perhaps most importantly, the new findings indicate that the high rates of ADHD among children raised in these deprived environments are explained, in part, by these atypical patterns of brain development," explained first author Dr. Katie McLaughlin, Assistant Professor at the University of Washington.

"These disturbing data provide a mechanism that links institutional rearing to compromised cortical development," said Dr. John Krystal, Editor of *Biological Psychiatry*. "They suggest that society may have to choose between investing in enriching institutional environments and enhancing the capacity of these institutions to offer mental health support on the one hand and bearing the cost of ADHD and its impact on social and vocational productivity on the other."

McLaughlin agrees and added, "The early caregiving environment has lasting effects on [brain development](#) in children. Identifying strategies for mitigating these effects is critical for improving mental health and

educational outcomes among children raised in deprived environments."

Provided by Elsevier

Citation: Institutional rearing may increase risk attention-deficit disorder (2014, October 14)
retrieved 20 April 2024 from

<https://medicalxpress.com/news/2014-10-rearing-attention-deficit-disorder.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.