


Facial structure predicts goals, fouls among World Cup soccer players

November 12 2014, by Keith Welker



World Cup soccer players with higher facial-width-to-height ratios are more likely to commit fouls, score goals and make assists, according to a study by a researcher at the University of Colorado Boulder. Credit: Keith Welker

The structure of a soccer player's face can predict his performance on the field—including his likelihood of scoring goals, making assists and

committing fouls—according to a study led by a researcher at the University of Colorado Boulder.

The scientists studied the facial-width-to-height ratio (FWHR) of about 1,000 players from 32 countries who competed in the 2010 World Cup. The results, published in the journal *Adaptive Human Behavior and Physiology*, showed that midfielders, who play both offense and defense, and forwards, who lead the offense, with higher FWHRs were more likely to commit fouls. Forwards with higher FWHRs also were more likely to score goals or make assists.

"Previous research into [facial structure](#) of athletes has been primarily in the United States and Canada," said Keith Welker, a [postdoctoral researcher](#) in CU-Boulder Department of Psychology and Neuroscience and the lead author of the paper. "No one had really looked at how facial-width-to-height ratio is associated with athletic performance by comparing people from across the world."

FWHR is the distance between the cheekbones divided by the distance between the mid-brow and the upper lip. Past studies have shown that a high FWHR is associated with more aggressive behavior, with both positive and negative results. For example, high FWHR correlates with greater antisocial and [unethical behavior](#), but it also correlates with greater success among CEOs and achievement drive among U.S. presidents.

However, some previous research has failed to find a correlation between FWHR and aggressive behavior in certain populations. The new study adds weight to the argument that FWHR does correlate with aggression. Welker and his colleagues chose to look at the 2010 World Cup because of the quality and quantity of the data available.

"There are a lot of athletic data out there," Welker said. "We were

exploring contexts to look at aggressive behavior and found that the World Cup, which quantifies goals, fouls and assists, provides a multinational way of addressing whether facial structure produces this [aggressive behavior](#) and performance."

Scientists have several ideas about how FWHR might be associated with aggression. One possibility is that it's related to testosterone exposure earlier in life. Testosterone during puberty can affect a variety of physical traits, including bone density, muscle growth and cranial shape, Welker said.

Provided by University of Colorado at Boulder

Citation: Facial structure predicts goals, fouls among World Cup soccer players (2014, November 12) retrieved 20 March 2024 from <https://medicalxpress.com/news/2014-11-facial-goals-fouls-world-cup.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--