


# Some neurons can multitask, raising questions about the importance of specialization

November 10 2014

---



Rats use multitasking neurons to navigate the complex demands of decision making. Each ellipse shows a two dimensional representation of the patterns that neuronal populations exhibit during decision formation. Here, dashed vs solid lines refer to trials in which the animal made a left vs a right decision, red vs blue lines depict auditory vs visual trials. Credit: Anne Churchland, Cold Spring Harbor Laboratory

Think about all the things you are doing at this moment. As your eyes scan across the lines of this article, maybe your brain is processing the smell of coffee brewing down the hall and the sound of leaf blowers outside your window. Maybe you are tapping your foot and spinning a pen between your fingers. At any given moment, your brain is simultaneously processing a multitude of information from your senses while supporting a dizzying array of behaviors.

How is all this information processed at once? The provisional answer, for decades, has centered on specialization. Biologists have assumed that [neurons](#) are specialized for specific behaviors, and that they fall into distinct classes based upon kind of signals they interpret. But findings in rats made by a team at Cold Spring Harbor Laboratory (CSHL) now call the universality of that concept into question. The team, led by CSHL Associate Professor Anne Churchland, has found a population of neurons in the rat cortex that process information in a way that supports multiple behaviors at once. The neurons they studied in this population, the scientists say, cannot be individually classified according to specialization.

Much previous neuroscience research has measured how neurons respond to a single, specialized activity. This research has uncovered distinct neuronal classes in specific brain areas. "The visual cortex is an excellent example," explains Churchland. "We know that those neurons are highly specialized. For example, specific neurons are specialized to respond to stimuli located in particular parts of space, way up high, or way off to the left, for instance."

Churchland wondered if the same rules apply in other parts of the brain where complex processing tasks are taking place. Her team studied the [posterior parietal cortex](#) (PPC). This area of higher brain function has

been has been associated with numerous behaviors, such as decision-making, value judgments, attention, and planning. Are there specialized groups of neurons in the PPC for each function? Or do individual neurons respond to multiple stimuli, in unique ways?

To distinguish between the two possibilities, Churchland and her team exploited a research setup that has been used to study decision-making. "We trained rats to associate a rapid pulse of flashing light or sound with a particular door, and slower stimuli with another door." The team then measured how [individual neurons](#) in the rat PPC respond to both light and sound, and correlated these with the decisions the animals ultimately made in each trial.

"We were surprised to find that there were no specialized populations among neurons in the PPC that we studied," says Churchland. Instead, the team found that PPC neurons were multitasking, each one responding to more than one stimulus. No distinct classes emerged among the more than 300 neurons they measured. "Each neuron had its own signature for how it responded - no two were alike - which means that we couldn't lump them together into categories."

Churchland proposes that neurons such as these, which are able to multitask, may offer the brain a flexible way to combine responses. "This changes the way our team thinks about how neurons are used and work together," she says. Based on these results, Churchland says, researchers may want to question the often used method of averaging the responses of different neurons to describe their collective behavior, under the assumption that anatomically distinct groups of neurons will respond to stimuli in the same way. More broadly, the research suggests a new way of thinking about how neurons behave. In this view, "it is no longer single neurons making sense of a behavior, but the whole group, integrating multiple signals," says Churchland.

The work has important implications as scientists try to understand cognition more broadly. "In order to have a coherent view of the world, we must be able to make sense of hundreds, maybe even thousand of inputs at once," says Churchland. And that ability is something that often goes awry in mental disorders, like autism.

"A category-free neural population supports evolving demands during decision-making" appears online in *Nature Neuroscience* on November 10, 2014.

**More information:** *Nature Neuroscience*, [dx.doi.org/10.1038/nn.3865](https://doi.org/10.1038/nn.3865)

Provided by Cold Spring Harbor Laboratory

Citation: Some neurons can multitask, raising questions about the importance of specialization (2014, November 10) retrieved 30 April 2024 from <https://medicalxpress.com/news/2014-11-neurons-multitask-importance-specialization.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---