

Early adoption of robotic surgery leads to organ preservation for kidney cancer patients

December 11 2014

Patients with operable kidney cancers were more likely to have a partial nephrectomy—the recommended treatment for localized tumors—when treated in hospitals that were early adopters of robotic surgery, according to a new study.

Researchers from NYU Langone Medical Center and elsewhere, publishing online December 11 in the journal *Medical Care*, report that by 2008, hospitals that had adopted <u>robotic surgery</u> at the start of the current century (between 2001 and 2004) performed partial nephrectomies in 38% of <u>kidney cancer</u> cases compared to late adopters (2005 to 2008) who performed partial nephrectomies only 24% of the time.

Partial nephrectomy, the removal of a section of the kidney as opposed to the removal of the entire organ, is preferred over total <u>nephrectomy</u> because it can achieve similar outcomes in cancer while avoiding the long-term risks associated with total kidney removal, such as cardiovascular disease, chronic kidney failure and premature death.

"Our study is the first to show, at the hospital level, that more institutional experience with robotic surgery is likely to have resulted in this increase in <u>partial nephrectomy</u>," said the study's lead author, Ganesh Sivarajan, MD, a post-doctoral fellow in the Department of Urology at NYU Langone. Hospitals that had not adopted robotics by 2008 performed partial nephrectomies in only 20% of cases.



For their study, the research team analyzed retrospective data on all nephrectomies from all payers from seven states (Arizona, Florida, Maryland, North Carolina, New York, New Jersey, and Washington) to extract data on 21,569 kidney cancer surgeries. They then sorted these procedures by hospital, and associated their frequency with the timing of each <u>hospital</u>'s acquisition of surgical robotics.

Danil V. Makarov, MD, MHS, the study's senior author, and Director of Urological Health Services Research at NYU Langone, said: "Robotic surgery was not originally designed for <u>treatment</u> of kidney tumors, but what we see here is a case of reinvention, or adaptation. In this case, the reinvention has served to provide <u>patients</u> increased access to an underutilized, guideline-supported procedure."

Robotics offers other important advantages over laparoscopic and open surgery, according to Dr. Sivarajan. "It has outstanding magnification and permits improved manual dexterity," he said.

Robotic surgery has been the focal point of many debates, specifically over its high acquisition and operating costs, but also over its role in improving patient outcomes. However, as this study demonstrates, it allows surgeons in many cases to preserve vital organs, improve quality of care and keep up with new clinical practice guidelines.

"We strongly believe that our analysis offers significant public health implications for the delivery of guideline-based care for <u>kidney</u> cancer," Dr. Makarov said. "As we move toward expanded use of cost effectiveness data, we need to leave room for this sort of evolution."

Provided by New York University School of Medicine

Citation: Early adoption of robotic surgery leads to organ preservation for kidney cancer patients



(2014, December 11) retrieved 2 May 2024 from <u>https://medicalxpress.com/news/2014-12-early-robotic-surgery-kidney-cancer.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.