

Researchers explore 3-D microsurgical anatomy of brainstem

December 1 2014

A study using intricate fiber dissection techniques provides new insights into the deep anatomy of the human brainstem—and helps to define "safe entry zones" for neurosurgeons performing brainstem surgery, according to a special article published in *Operative Neurosurgery*, a quarterly supplement to *Neurosurgery*, official journal of the Congress of Neurological Surgeons.

Neurosurgeons Dr. Kaan Yagmurlu and Dr. Albert L. Rhoton, Jr, of University of Florida, Gainesville, and colleagues performed fiber tract dissections, along with three-dimensional photography, to explore and document the complex anatomy of the [brainstem](#). "We hope that the use of this knowledge will make surgical entry into the brainstem more accurate and safe," Dr. Rhoton and coauthors write.

Fiber Tract Dissections Guide Safe Routes for Brainstem Surgery

Working under the operating microscope, the researchers performed meticulous dissections of human brainstem specimens. They used a technique called fiber tract dissection, which traces the complex course of the nerve fibers that make up the brainstem. At each step of the dissection, 3-D photographs were obtained. In some areas, a magnetic resonance imaging technique called diffusion tensor imaging was used to help in visualizing the nerve fiber tracts.

The lowermost portion of the brain is directly connected to the spinal cord. The brainstem is involved in regulating some of the body's most basic functions. In addition to mapping and illustrating the inner anatomy of the brainstem, the researchers sought to identify the best surgical approaches to specific brainstem areas.

In their article, Drs. Yagmurlu and Rhoton and colleagues present richly detailed descriptions and 3-D images of the fiber tract anatomy of the brainstem. They also propose a short list of "safe entry zones" for each of the three major portions of the brainstem: the midbrain, pons, and medulla.

For each area, the suggested routes include key anatomical landmarks for the neurosurgeon to follow. The fundamental principle is to pass through as little normal tissue as possible, while avoiding critical areas and tracts.

"The safest approach for lesions located below the surface is usually the shorter and most direct route," the researchers write. However, for some parts of the brainstem, a more circuitous approach is needed to reach the target while protecting essential functional areas.

Although previous studies have used fiber dissection techniques to examine safe entry zones to the brainstem, most have focused on the surface anatomy. The new study is the first to use these techniques to define and document the "complex internal architecture" of the brainstem.

Drs. Yagmurlu and Rhoton and coauthors note that their dissection study cannot account for the infinite variations in anatomy of the human brainstem—the use of neurophysiological monitoring and mapping remains crucial during surgery. However, by providing unprecedented descriptions and 3-D images of the inner [anatomy](#) of the brainstem, the

researchers hope their work will help neurosurgeons in planning the best approach to microsurgical procedures for gliomas (brain cancers) and blood vessel malformations in each area of the brainstem.

More information: "Three-Dimensional Microsurgical Anatomy and the Safe Entry Zones of the Brainstem." journals.lww.com/neurosurgery/...tomy_and_the.12.aspx

Provided by Wolters Kluwer Health

Citation: Researchers explore 3-D microsurgical anatomy of brainstem (2014, December 1)
retrieved 3 May 2024 from
<https://medicalxpress.com/news/2014-12-explore-d-microsurgical-anatomy-brainstem.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--