

Study shows some newborns lose weight much faster than previously recognized

December 2 2014, by Juliana Bunim



Using weights obtained from over 100,000 Northern California babies, a new study is the first to detail the weight loss patterns of exclusively breastfed newborns. The results show that some breastfed babies lose weight faster and for a longer period than was previously recognized.

The investigators have captured their findings in an online tool that is the first of its kind to help pediatricians determine whether exclusively breastfed newborns have lost too much weight in the first days of life. The research is published today in the journal *Pediatrics*.

Women do not immediately produce high volumes of breast milk in the first days after childbirth. Instead, mothers at first secrete small amounts

of colostrum, which contains high concentrations of nutrients and antibodies for the baby. During this period, almost all babies experience some initial weight loss, which can cause concern from new parents and sometimes even pediatricians.

According to the researchers, most newborns tolerate this initial period of weight loss. However, some do develop complications such as dehydration and hyperbilirubinemia – jaundice caused by too much bilirubin in the blood – which are the two most common causes of newborn hospital readmission. Mothers sometimes believe this weight loss means their baby is not getting enough [breast milk](#), leading them to supplement their baby with infant formula, a practice pediatricians hope to avoid when possible.

The [Newborn Weight Tool](#), or Newt, was developed using a sample of hourly birth weights from more than 100,000 breastfed newborns at Northern California Kaiser Permanente hospitals between 2009 and 2013. The tool plots a baby's weight percentile at any given time in the first few days following birth and compares it with the large sample of newborns.

Until now, there was no graphical depiction or "growth chart" of early weight loss for exclusively breastfed newborns to help inform mothers visually of how normal it is for babies to lose weight, but now mothers and pediatric healthcare providers have a tool to demonstrate normal weight loss patterns. An individual mother can see how her newborn compares with these normal patterns, which in most cases will be reassuring.

"For parents who are concerned about their newborn's weight loss, they can be shown how their baby compares to the study sample, and whether they fall into a dangerous zone," said Valerie Flaherman, MD, a pediatrician at UCSF Benioff Children's Hospital San Francisco and lead

author of the study. "It also provides a tool for pediatricians to determine which babies are at high risk, addressing a major clinical gap because there are no current criteria for newborn weight loss."

Newt was developed by the study's senior author, Ian Paul, MD, professor of pediatrics and public health sciences at Penn State College of Medicine and pediatrician at Penn State Hershey Children's Hospital and Eric Schaefer, MS, a statistician at Penn State College of Medicine, along with researchers at UCSF and Kaiser Permanente.

The tool is available for free, and healthcare providers can bookmark it on their computers, smartphones and tablet devices. It was designed for health care professionals to share the information with parents similar to the way growth charts are used now.

The normal amount of weight loss depends on how many hours old a baby is.

"With Newt, we can normalize what the expected patterns of weight loss are on an hour-by-hour basis, which has never been possible before," Paul said. "This way we can more easily identify those who are at risk for excess [weight loss](#) early and get their mothers extra breastfeeding support."

More information: "Early Weight Loss Nomograms for Exclusively Breastfed Newborns." *Pediatrics* peds.2014-1532; published ahead of print December 1, 2014, [DOI: 10.1542/peds.2014-1532](https://doi.org/10.1542/peds.2014-1532)

Provided by University of California, San Francisco

Citation: Study shows some newborns lose weight much faster than previously recognized (2014,

December 2) retrieved 12 May 2024 from <https://medicalxpress.com/news/2014-12-newborns-weight-faster-previously.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.