

Patient self-reporting version of 'blood pressure cuff' for dementia is reliable and valid

December 29 2014

The patient self-reporting version of the Healthy Aging Brain Care Monitor—a primary-care tool to measure cognitive, functional and psychological symptoms—is user-friendly, reliable and valid, including being sensitive to symptom change, according to a new Regenstrief Institute and Indiana University Center for Aging Research study.

Similar to the way the blood pressure cuff measures blood pressure levels during (systolic) and between (diastolic) heart beats, the Healthy Aging Brain Center Monitor measures 27 items on a four-point scale to assess cognitive, functional, and psychological symptoms. The health care team can track scores over time to note declines or improvements.

"Depression, anxiety and inability to cope with demands of daily living are common in older adults. The patient self-reporting version of the HABC Monitor helps busy physicians accurately measure and monitor the severity of symptoms, providing valuable information that the patient's entire care team needs," said Regenstrief Institute investigator Malaz Boustani, M.D., MPH, Richard M. Fairbanks Professor in Aging Research at the IU School of Medicine and associate director of the IU Center for Aging Research.

Dr. Boustani, a geriatrician, is the study's senior author. He is also medical director of the Eskenazi Health Healthy Aging Brain Center, where the study was conducted.

The HABC Monitor, developed by researchers from the Regenstrief Institute and the IU Center for Aging Research, self-reported cognitive measurements include ability to identify correct month and year, ability to memorize, and ability to handle complex financial affairs. Functional measurements include ability to learn to use a tool, appliance or gadget; planning and preparing meals; and ability to conduct activities of daily living such as bathing, shopping and performing household chores. Psychological measurements include individual scores on depression, anxiety, irritability and appetite.

"We found that, like the caregiver version of the tool which we previously developed, the patient-reported information yields an accurate assessment of the patient's cognitive, functional and psychological well-being," said Patrick Monahan, Ph.D., associate professor of biostatistics at the IU School of Medicine. "However, if a patient self-reports a perfect cognitive score, further performance testing or clinical examination or caregiver-reported HABC Monitor information is recommended to rule out the possibility that the patient is unaware of cognitive symptoms."

Dr. Monahan is a psychometrician, biostatistician and social scientist whose area of expertise is validating medical questionnaires that assess human behavior. He is the first author of the new study.

A total of 291 patients with a mean age of 72 years participated in the study of the patient self-reporting version of the HABC Monitor. Fifty-six percent of study participants were African-American, and 76 percent were female. All were patients [age](#) 65 or older seen at Eskenazi Health primary-care clinics. Older patients seeing primary-care physicians typically have multiple chronic conditions such as diabetes, depression, anxiety, cancer, stroke, dementia or chronic heart failure; a tool that measures a wide range of relevant symptoms is beneficial to clinicians when monitoring such patients' treatment plans.

More information: "The Healthy Aging Brain Care (HABC) Monitor: Validation of the Patient Self-Report Version of the Clinical Tool Designed to Measure and Monitor Cognitive, Functional, and Psychological Health" appears in *Clinical Interventions in Aging*, an international peer-reviewed open-access publication.

Provided by Indiana University

Citation: Patient self-reporting version of 'blood pressure cuff' for dementia is reliable and valid (2014, December 29) retrieved 30 April 2024 from <https://medicalxpress.com/news/2014-12-patient-self-reporting-version-blood-pressure.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--