

Vitamin D deficiency, depression linked in international study

December 2 2014



Vitamin D deficiency is not just harmful to physical health—it also might impact mental health, according to a team of researchers that has found a link between seasonal affective disorder, or SAD, and a lack of sunlight.

"Rather than being one of many factors, vitamin D could have a regulative role in the development of SAD," said Alan Stewart of the University of Georgia College of Education.

An international research partnership between UGA, the University of Pittsburgh and the Queensland University of Technology in Australia reported the finding in the November 2014 issue of the journal *Medical Hypotheses*.

Stewart and Michael Kimlin from QUT's School of Public Health and



Social Work conducted a review of more than 100 leading articles and found a relationship between vitamin D and <u>seasonal depression</u>.

"Seasonal affective disorder is believed to affect up to 10 percent of the population, depending upon geographical location, and is a type of depression related to changes in season," said Stewart, an associate professor in the department of counseling and human development services.

"People with SAD have the same symptoms every year, starting in fall and continuing through the winter months."

Stewart said, based on the team's investigations, vitamin D was likely to be a contributing factor in seasonal depression.

"We believe there are several reasons for this, including that vitamin D levels fluctuate in the body seasonally, in direct relation to seasonally available sunlight," he said. "For example, studies show there is a lag of about eight weeks between the peak in intensity of ultraviolet radiation and the onset of SAD, and this correlates with the time it takes for UV radiation to be processed by the body into vitamin D.

Vitamin D is also involved in the synthesis of serotonin and dopamine within the brain, both chemicals linked to depression, according to the researchers.

"Evidence exists that low levels of dopamine and serotonin are linked to depression, therefore it is logical that there may be a relationship between low levels of vitamin D and depressive symptoms," said Kimlin, a Cancer Council Queensland Professor of Cancer Prevention Research.

"Studies have also found depressed patients commonly had lower levels of vitamin D."



Vitamin D levels varied according to the pigmentation of the skin. People with dark skin often record lower levels of vitamin D, according to the researchers.

"Therefore it is suggested that persons with greater skin pigmentation may experience not only higher risks of vitamin D deficiency, but also be at greater risk of psychological and psychiatric conditions," he said.

Kimlin, who heads QUT's National Health and Medical Research Council Centre for Research Excellence in Sun and Health, said adequate levels of vitamin D were essential in maintaining bone health, with deficiency causing osteomalacia in adults and rickets in children. Vitamin D levels of more than 50 nanomoles per liter are recommended by the U.S. Institute of Medicine.

"What we know now is that there are strong indications that maintaining adequate levels of vitamin D are also important for good mental health," Kimlin said. "A few minutes of sunlight exposure each day should be enough for most people to maintain an adequate vitamin D status."

"Queensland is known as the Sunshine State in Australia but that doesn't mean all Queenslanders get enough vitamin D," Kimlin said. "This research is of international importance because no matter where you live, low levels of vitamin D can be a health concern."

Provided by University of Georgia

Citation: Vitamin D deficiency, depression linked in international study (2014, December 2) retrieved 18 April 2024 from

https://medicalxpress.com/news/2014-12-vitamin-d-deficiency-depression-linked.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.