

Women with dense breasts will have to look beyond ultrasound for breast cancer screening

December 9 2014

Supplemental ultrasound screening for all U.S. women with dense breasts would substantially increase healthcare costs with little improvement in overall health, according to senior author Anna Tosteson, ScD, at Dartmouth Hitchcock's Norris Cotton Cancer Center and The Dartmouth Institute for Health Policy and Clinical Practice.

In a study released Monday in the *Annals of Internal Medicine*, Tosteson and colleagues, including lead author Brian Sprague, MD, provide evidence on the benefits and harms of adding ultrasound to [breast cancer screening](#) for [women](#) who have had a negative mammogram and also have dense breasts. The study will help inform the national legislative discussion about potential regulations requiring health providers to tell women if their mammogram shows that they have dense breasts.

Dense breasts are a risk factor for breast cancer and also make it more difficult to recognize potential problem areas amongst the dense tissue on screening mammograms. Tosteson explained the impact of the research: "Our study is timely because with existing breast density notification laws in some 19 states, and with national legislation pending, it is critical that we understand what approaches to supplemental [breast cancer screening](#) are most effective for women with dense breasts."

The study estimates that, for every 10,000 women between the ages of 50-74 with dense breasts who receive supplemental ultrasound screening

after a normal mammogram, about four breast cancer deaths would be prevented, but an extra 3,500 biopsies would be given to women who did not have breast cancer.

Tosteson and colleagues used data from the Breast Cancer Surveillance Consortium (BCSC) and three simulation models developed independently within the National Cancer Institute (NCI)-funded Cancer Intervention and Surveillance Modeling Network consortium to evaluate the health outcomes and expense of supplemental screening via ultrasound. Because 40 percent of U.S. women from 40 to 74 years old are estimated to have dense breasts, the value of notifying them of their status and recommending next steps in screening for breast cancer is of national significance.

Tosteson and colleagues recently published a separate simulation modeling study using preliminary data on digital breast tomosynthesis that suggested the new technology may provide an effective way to screen women with [dense breasts](#). Tosteson cautioned that,

"Those projections were based on very limited data from U.S. populations and we are expanding these data through our ongoing NCI-sponsored research within the Breast Cancer Surveillance Consortium and the PROSPR (Population-based Research Optimizing Screening through Personalized Regimens) Consortium."

Provided by The Geisel School of Medicine at Dartmouth

Citation: Women with dense breasts will have to look beyond ultrasound for breast cancer screening (2014, December 9) retrieved 27 April 2024 from <https://medicalxpress.com/news/2014-12-women-dense-breasts-ultrasound-breast.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.